

CARGO EXPERTS

Ver. 5.0



WURTH

PARTNER OF HEAVY MACHINERY

















WÜRTH INSIGHT



- More than 1,25,000 products
- More than 88,616 employees worldwide
- 4 million customers worldwide
- Over 400 companies in more than 80 countries
- Standard & Poor's rating: A Stable
- 2024 Sales: EUR 20.2 Billion




We make connections worldwide

WUERTH INDIA

Central Support Centre - Mumbai

Regional Support Centre - Chennai | Delhi | Kolkata

Over 1101 employees working in across 35 locations to serve the customers



Our product range includes products for Automotive Technology/Service Maintenance, Chemicals, Paints, Engine Oils, Adhesives/Abrasives, Cutting Devices, Fasteners, Furniture and Construction Fittings, Dowel Technology, Industrial Safety, Electric Vehicle Charging Solutions and much more.

Business Areas



ΔΠΤΟ

- Auto Repair Shops
- Car Dea**l**ers
- Body Shops
 Motorcycle Repair Shops
- Smash Repair Shops Auto Electricians



- EV Showrooms & Dealerships
- Parking
 Residential
- Office/Commercial
- Restaurants & Malls



- OEM Dealers
- Authorized Workshops
 Multi-brand Workshops
- Forwarding Companies Transport Operators
- Body Building Units



METAL

- Metalworking Industry
- Fabrication Industry
 Maintenance, Repair & Operations
- Furniture Manufacturers



- Construction Companies
- Door & Window Frame Installation
- Facade Contractors
- Construction Project • EPC Contractors



PAINTS

- Body Shops
- OEM Dealers
 Multi Brand Workshops
- Body Building Units



- EV Fleet Owners

CARGO







HHS 2000 500 ml

Art. No. 0893106

- Partly synthetic oil that is extremely resistant to high pressures.
- Creeping properties.
- · Highly adhesive.
- Good material compatibility.



HHS DRY LUBE 400 ml

Art. No. 08931066

- Shear-proof dry synthetic wax with PTFE.
- Dry synthetic wax.
- Outstanding creeping property and good penetration of gaps.



SYNTHETIC ADHESIVE **LUBRICANT**

Art. No.	Contents	
0893105653	100 ml	
0893610652	500 ml	

- Highly adhesive, pressure resistant synthetic anti-corrosive composite.
- Provides long lasting protection against corrosion.
- Application: Hinges, bolts, lock, joints, pinions, bowden cables, sliding rails, rollers, drive chairs,



MULTI-PURPOSE GREASE II 400 q

Art. No. 08938711 045 1

- Lithium-soap graphite grease.
- Resistant to high pressure due to EP additives.
- Excellent emergency running properties.
- Good sealing action and protection against corrosion.



LUBRICATING GREASE WGF 130

1 kg

Art. No. 0893530

- High-performance lubricating grease.
- Lithium-soap grease with molybdenum sulphide (MoS2).
- •Temperature resistant from -30°C to +130°C, briefly up to +150°C.



SILICONE SPRAY GREASE 500 ml

Art. No. 0893223

- Extremely lubricating and insulating silicone grease.
- · Very high electric resistance (= 14.7 kV/mm).
- Excellent insulating effect.
- Excellent water displacement.



RUST OFF

Art. No.	Contents
0890200011	300 g
0890200010	100 ml
0890200050	50 ml

- High quality rust releaser.
- · High capillary activity.
- Optimum corrosion protection.
- Excellent water displacement.



RUST OFF ICE PLUS 400 ml

Art. No. 0893241060

The low-temperature cracking effect with unique cold shock down to -60°C loosens even heavily seized screw connections



METAL RESTORER 400 q

Art. No. 08931211

- For removing the most stubborn of dirt on metal.
- Natural aluminium oxide is used as an abrasive substance.
- Productive additives with remoisturising properties and highly viscose.



RAPID WINDSCREEN CLEANER

Art. No.	Contents
0892333032	32 ml
089233350	50 ml

- Highly-concentrated windscreen cleaner 1:100
- Prevents smear formation.
- Eliminates glare and lubricant films.
- Ensures a crystal clear view.
- Removes adherent insects and other
- · Very good material compatibility.



Art. No. 0893300250

Special product for loosening injectors and spark plugs in assemblies and engines.



SEALANT REMOVER 300 ml

- Removes sealing materials, adhesives, paints, etc. in just minutes
- Stable.







LIQUID METAL FE1

Art. No. 0893449

- Fast-acting repair system, ideal for installers and workshops in the metal processing sector.
- High-quality two-component reaction resin system.
- After hardening, can easily be processed.



BMF CLEANER 5 L

Art. No. 0893118825

- Environmental friendly cleaning agent for workshops, machinery and vehicles.
- Extremely biodegredable



AUTO SHAMPOO

Art. No.	Contents
0893022002	1 L
0893022003	5 L

- Environmental friendly auto shampoo for vehicle washing.
- Removes soiling on vehicles without impacting the environment and protects paint from a number of influences like weather effects, salt, corrosion & sunlight.
- Reduces hazard potential in daytoday use.



3 IN 1 MULTIPURPOSE FOAM CLEANING GUN

Art. No. 5997771456090 1

- Cars, trucks, buses, construction machines, land and forestry, vehicle preparation, building facade cleaning, equipment maintenance and much more.
- Fill the supply tank of the 3 in 1
 Foam Gun with cleaning agent
 according to the mixing
 specifications from the
 manufacturer.



INDUSTRY CLEANER 500 ml

Art. No. 0893140

For removing adhesive tape residue, labels and film stickers as well as stubborn dirt.



METAL PARTS CLEANER, 500 ml

Art. No. 5997756956

- General-purpose product for cleaning and degreasing metal parts surface.
- Fast, effective removal of soot, grease, industry dust and oily residues.



WIRE BRUSH

Description	Art. No			
2 Rows	06972	090	10	
4 Rows	06974	090	10	

SEALING & GASKETING



SILICONE SPECIAL 180 70 ml

Art. No.	Colour
0890320	Transparent
0890322	Blue

- Permanently elastic silicone sealing compounds for engine and bodywork.
- · Cold-vulcanising silicone rubber.
- Excellent adhesion.



SILICONE SPECIAL 250 70 ml

Art. No.	Colour
0890321	Red
0890323	Black

- Permanently elastic silicone sealing compounds for engine and bodywork.
- Cold-vulcanising silicone rubber.
- •Temperature resistance up to 300°C.



EXHAUST ASSEMBLY PASTE 140 g

Art No. 0890100045

Soft compound for quick, easy and completely gas-tight assembly of sleeve (pipe plug) and flange connectors in exhaust systems.



BRAKE MAINTENANCE



BRAKE CLEANER

Art. No.		Contents
0890101000		100 ml
0890108700045	24	700 ml

- For cleaning and degreasing during maintenance and repair work.
- Fast and effective removal of soot, grease, brake dust and oily residues.
- Application area: For quickly removing oily/greasy residues, soot, brake dust on vehicles, disc and drum brakes, engine and gearbox housings etc.



CU 800 - SPRAY 300 ml

Art. No. 0893800

- Highly adhesive lubricant, separating and anti-corrosive copper paste.
- Extremely resistant to high temperatures and high pressures.



BRAKE FLUID DOT 3 & 4

DOT 3

Art. No.	Contents
089200025	250 ml
0892000024	500 ml

DOT 4

Art. No.	Contents
0892000027	250 ml
0892000026	500 ml

- Brake Fluid for disc and drum brake systems.
- Outstanding corrosion protection for iron and base metals.



BRAKE PASTE 5.5 g

Art. No. 08931105 045 100

High-pressure resistant, adhesive lubricant in a display box



CU 800 - PASTE 100 g

Art. No.	Contents
08938001	100 g
08938002	1 kg





BRAKE FLUID TESTER - DOT 3/DOT 4/DOT 5.1

- •To test water content in all polyglycol-based brake fluids (DOT3/DOT4 and DOT5.1) easily, quickly and precisely.
- Handy testing tool with retaining clip.
- •One push button for quick test and switching.
- Compact and light construction.
- Resistant to acids, bases, impacts and breakage. Long service life.



WIPER BLADE



WINDSCREEN WIPER BLADE

- Natural rubber wiping lip with special graphite compound coating.
- Extremely smooth-running.
- UV and ozone-resistant.
- High operating temperature range.
- Resistant to the effects of weathering (72hrs. in salt spray test according to DIN EN ISO 9227).













Description	Art. No.
Vehicle Windshield Wiper L300MM/12"	0848 370 300
Vehicle Windshield Wiper L300MM/13"	0848 370 325
Vehicle Windshield Wiper L300MM/14"	0848 370 350
Vehicle Windshield Wiper L380MM/15"	0848 370 380
Vehicle Windshield Wiper L400MM/16"	0848 370 400
Vehicle Windshield Wiper L425MM/17"	0848 370 425
Vehicle Windshield Wiper L450MM/18"	0848 370 450
Vehicle Windshield Wiper L475MM/19"	0848 370 475
Vehicle Windshield Wiper L500MM/20"	0848 370 500
Vehicle Windshield Wiper L525MM/21"	0848 370 525
Vehicle Windshield Wiper L550MM/22"	0848 370 550
Vehicle Windshield Wiper L600MM/24"	0848 370 600
Vehicle Windshield Wiper L650MM/26"	0848 370 650
Vehicle Windshield Wiper L700MM/28"	0848 370 700

Description	Art. No.
Wiper blades Bolt type CARGO 20"	5997756958
Wiper blades Bolt type CARGO 22"	5997756959
Wiper blades Bolt type CARGO 24"	5997758450
Wiper blades Bolt type CARGO 26"	5997758451
Wiper blades Bolt type CARGO 28"	5997758452
Wiper blades Arm type CARGO 20"	5997758453
Wiper blades Arm type CARGO 24"	5997758454

ELECTRICAL



CABLE TIES

For quick, problem-free and reliable bundling of cables, cable harnesses, hoses, etc.

Width mm	Length mm	Article Natural	Article Black	Description	Pack Qty.
2.5mm	100mm	5997800861090 1	5997800862090 1	CBLTIE-PLA-PLALATCH-2,5X100	100
3.6mm	300mm	5997800852090 1	-	CBLTIE-PLA-PLALATCH-NATURE-3, 6X300	100
3.6mm	150mm	5997800856090 1	5997800855090 1	CBLTIE-PLA-PLALATCH-3,6X150	100
3.6mm	200mm	5997800859090 1	5997800860090 1	CBLBND-PLA-PLATNG=3,6X200	100
4.8mm	200mm	5997800848090 1	5997800851090 1	CBLTIE-PLA-PLALATCH-4,8X200	100
4.8mm	364mm	5997800858090 1	5997800853090 1	CBLBND-PLA-PLATNG-4,8X364	100
4.8mm	300mm	5997800854090 1	5997800857090 1	CBLTIE-PLA-PLALATCH-4,8X300	100
7.6mm	364mm	5997800850090 1	5997800849090 1	CBLTIE-PLA-PLALATCH-7,6X364	100
7.6mm	200mm	5997800864090 1	5997800863090 1	CBLTIE-PLA-PLALATCH-7,6X200	100
7.6mm	530mm	5997800865090 1	5997800866090 1	CBLTIE-PLA-PLALATCH-7,6X530	100
7.6mm	450mm	-	5997800867090 1	NYLON CABLE TIE (BLACK) 430X7.6 MM	100



ELECTRICAL



BATTERY TERMINAL PROTECTOR 150 ml

Art. No. 0890104



- Long-term and temperature-resistant protection for battery terminals.
- Protects battery terminals, pole terminals and plug connections from corrosion, weather and battery acids
- Prevents transfer resistances and voltage drops, thereby extending the battery life.



ELECTRICAL CONTACT CLEANER

Art. No.	Contents
0890600512	100 ml
0893600500	500 ml

- Moisture free.
- Cleans electrical contacts instantly.



POLE TERMINAL BRUSH

Art. No. 0695589544

Combined cleaning brush for vehicle batteries



HEAT SHRINK HOSE THIN-WALLED

Art. No. 07710...

- Shrink rate 2:1 without internal adhesive
- •Length: 100 mm

Diameter	Art. no.
2.4 mm	0771 002 40
3.2 mm	0771 003 20
4.8 mm	0771 004 80
6.4 mm	0771 006 40
9.5 mm	0771 009 50
12.7 mm	0771 012 70
19 mm	0771 019 00
25.4 mm	0771 025 40



ELECTRONIC SOLDER

Art. No. 0987111

- •Flux as per DIN EN 29454-1/1.1.2.B.
- Processing temperature: 240 260°C.
- •Melting range: 183 190°C.
- Low soldering temperature due to fast-flowing solder.



ELECTRICAL INSULATING TAPE SET 10 Pc.

Art. No. 0985100

- Safe insulation and labeling during electrical installation.
- VDE-tested in accordance with DIN EN 60454-3-1 Type 5



CRIMPING PLIERS QI 60

- Crimping of insulated and uninsulated cable connectors 0.5-6.0 mm²
- Shortening of screws M2.6-M5
- Stripping of cables 0.75-6.0 mm²



ELECTRICAL



HEAT-SHRINK CRIMP BUTT CONNECTOR

Dielectric strength	30 kV/mm
IP protection class	IP 67
Min./max. temperature conditions	-55 to 125 °C
Min. shrinkage temperature	300 °C

Min./max. wire cross section	Colour	Length	Art. no.
0.2-0.5 mm ²	Transparent	30 mm	0555 510 0
0.5-1.5 mm ²	Red	35 mm	0555 510 1
1.5-2.5 mm ²	Blue	35 mm	0555 510 2
4-6 mm ²	Yellow	40 mm	0555 510 4



HEAT-SHRINK SOLDER CONNECTOR HIGH-END BUTT CONNECTOR

Dielectric strength	36 kV/mm
IP protection class	IP 67
Min./max. temperature conditions	-55 to 110 °C
Min. shrinkage temperature	500 °C

Art. No.	0555 810 0	0555 810 1	0555 810 2	0555 810 4
P. Qty.	50 / 100	50 / 100	50 / 100	25 / 50
Min./max. wire cross section	0.35-0.75 mm ²	0.5-1.5 mm ²	1.5-2.5 mm ²	4-6 mm ²
Colour	White	Red	Blue	Yellow
Length	27.5 mm	40.8 mm	40.8 mm	40.8 mm



HEAT-SHRINK SOLDER BUTT CONNECTOR

Dielectric strength	2 kV/mm
IP protection class	IP 67
Min./max. temperature conditions	-55 to 125 °C
Min. shrinkage temperature	500 °C

Art. No.	0555 923 0	0555 923 1	0555 923 2	0555 923 3
P. Qty.	25 / 100	25 / 100	25 / 100	25 / 50
Max. bundle diameter (Bündel - Ø max.)	1.7 mm	2.7 mm	4.5 mm	6 mm
Colour	White	Red	Blue	Yellow
Length	26 mm	42 mm	42 mm	42 mm



HEAT-SHRINK HOSE, THIN-WALLED SET, 130 pcs

Art. No. 5964077100

Art. No.		P. Qty
0771 002 40	2.4/1.2	20
0771 003 20	3.2/1.6	20
0771 004 80	4.8/2.4	20
0771 006 40	6.4/3.2	20
0771 009 50	9.5/4.8	20
0771 012 70	12.7/6.4	10
0771 019 00	19.0/9.5	10
0771 025 40	25.4/12.7	10



SELF-IGNITING GAS SOLDERING DEVICE WGLG 100

Art. No. 0984990100

A handy all-rounder: can be used as a soldering iron or a hot-air gun



ELECTRICAL



FLAT BLADE FUSE MINI ECONOMIC

Art. No.		Amp
520830005	Brown	5 A
520830010	Red	10 A
520830015	Turkis	15 A
520830020	Yellow	20 A
520830025	White	25 A
520830030	Green	30 A



FLAT BLADE FUSE ATO ECONOMIC

Art. No.		Amp
5208005	Brown	5 A
5208010	Red	10 A
5208015	Blue	15 A
5208020	Yellow	20 A
5208025	Tranparent	25 A
5208030	Green	30 A
5208035	Lilac	35 A
5208040	Orange	40 A



BLADE FUSE - MAXI

Art. No. 5208301...

Art. No.	Colour	Amp
5208 301 20	Yellow	20 A
5208 301 30	Green	30 A
5208 301 40	Amber	40 A
5208 301 50	Red	50 A
5208 301 60	Blue	60 A
5208 301 70	Brown	70 A
5208 301 80	Natural	80 A



FLP FUSE

Silver-plated version fo improved heat removal.

Max. amperage	Color	Max. nominal voltage	Min./max. operating temperature	Surface of contacts	Art. No.
2 A	gray	58 V/DC	-40 - 125°C	Silver-plated	0731 302 02
3 A	Purple	58 V/DC	-40 - 125°C	Tin-plated	0731 302 03
4 A	Pink	58 V/DC	-40 - 125°C	Tin-plated	0731 302 04
5 A	Brown	58 V/DC	-40 - 125°C	Silver-plated	0731 302 05
7.5 A	Ocher brown	58 V/DC	-40 - 125°C	Silver-plated	0731 302 07
10 A	Red	58 V/DC	-40 - 125°C	Silver-plated	0731 302 10
15 A	Turquoise	58 V/DC	-40 - 125°C	Silver-plated	0731 302 15
20 A	Yellow	58 V/DC	-40 - 125°C	Silver-plated	0731 302 20
25 A	White	58 V/D	-40 - 125°C	Silver-plated	0731 302 25
30 A	Green	58 V/DC	-40 - 125°C	Silver-plated	0731 302 30

Suitable for ORSY storage

THREAD LOCK MIDI



Max. amperage	Colour	Art. No.
40 A	Green	0731309040
50 A	Red	0731309050
60 A	Yellow	0731309060
80 A	White	0731309080
100 A	Blue	0731309100

THREAD LOCK MEGA



Max. amperage	Colour	Art. No.
100 A	Yellow	0731310100
125 A	Green	0731310125
150 A	Red	0731310150
175 A	White	0731310175
200 A	Blue	0731310200
225 A	Brown	0731310225
250 A	Pink	0731310250
300 A	Grey	0731310300



VEHICLE LAMPS





H4

Passenger	Car	Lamps

Model	Art. No.	Volt	Watt	Base
H4	5997725313	12	100/90 W	43T
H4	5997725315	12	60/55 W	43T

Cargo/Truck Lamps

Model	Art. No.	Volt	Watt	Base
H4	5997725319	24	100/90 W	45T
H4	5997725314	24	100/90 W	43T



Passenger Car Lamps

12 V

Cargo/Truck Lamps

24 V



H7

Passenger Car Lamps

Model	Art. No.	Volt	Watt	Base
H <i>7</i>	5997725317	12	100 W	PX26D
H <i>7</i>	5997725316	12	55 W	PX26D







Passenger Car Lamps

Model	Art. No.	Volt	Watt	Base
Н1	5997725318	12	55 W	P14.5s





VEHICLE LAMPS





H4

Auto	Bulb	Rally	Xen
------	------	-------	-----

Model	Art. No.		Volt	Watt
H4	5997772426090	1	12	130/100 W
H4	5997772427090	1	12	100/90 W

Cargo/Truck Xen Bulbs

Model	Art. No.		Volt	Watt	Base
H4	5997772429090	1	24	130/100 W	43T
H4	5997772428090	1	24	100/90 W	43T



Auto Bulb Rally Xen

Cargo/Truck Xen Bulbs

24 V

TYRE SHOP





LEAD WEIGHTS - ALLOY RIMS

Art. No. 0830000205

Art. No.	Weight	Material
0830000205	5g	Lead
0830000210	10g	Lead
0830000215	15g	Lead
0830000220	20g	Lead
0830000225	25g	Lead
0830000230	30g	Lead
0830000235	35g	Lead
0830000240	40g	Lead
0830000245	45g	Lead
0830000250	50g	Lead
0830000255	55g	Lead
0830000260	60g	Lead





LEAD WEIGHTS - STEEL RIMS

Art. No. 083010005

Art. No.	Weight	Material
083010005	5g	Lead
083010110	10g	Lead
083010115	15g	Lead
083010120	20g	Lead
083010125	25g	Lead
083010130	30g	Lead
083010135	35g	Lead
083010140	40g	Lead
083010145	45g	Lead
083010150	50g	Lead
083010155	55g	Lead
083010160	60g	Lead





BALANCE WEIGHT FOR CAR FE STEEL RIMS

Art. No.	Weight	Material
083051 05	5g	Steel
083051 10	10g	Steel
083051 15	15g	Steel
083051 20	20g	Steel
083051 25	25g	Steel
083051 30	30g	Steel
083051 35	35g	Steel
083051 40	40g	Steel
083051 45	45g	Steel
083051 50	50g	Steel
083051 55	55g	Steel
083051 60	60g	Steel



AC MAINTENANCE



COOLIUS 1200i

Art. No. 0900764991

- Monitors A/C system working pressure.
- Recovers and recycles refrigerant with a pause function.
- Evacuates system with pause and timed function.
- Oil and UV dye injection.
- · Electronically charges with high accuracy.



COOLIUS A30

Art. No. W050103001990 1

- Fully automatic A/C service with R134a refrigerant on buses, passenger cars, vans, commercial vehicles, construction site vehicles, agricultural vehicles and rail vehicles.
- Innovative Coolius Select.
- Cost-saving filter and counter.
- Fully automatic oil management for exact oil filling.
- Refrigerant tank capacity: 35 kg.



LED UV TORCH

Art. No. 5997772422090 1

For use when searching for leaks highlighted by UV leak detection fluid in vehicle air-conditioning systems.



UV LEAK DETECTION DYE 240 ml

Art. No. 0892764134

Fluorescent additive for locating leakages in air-conditioning systems.



CONTRAST GOGGLES, YELLOW

Art. No. 0764000103

UV leak detector glasses for easily identifying traces of UV leak detector products



UNDER CHASSIS



UNDERSEAL - BLACK 1000 ml

Art. No. 0892072

- Bitumen-based coating mass, cannot be painted over, contains solvents.
- With long-term protection and anti-drone effect.
- Long-term protection and antihumming effect.
- Resistant to spray and salt water, weak acids and bases.
- · Quick drying.



GRAVEL THROW AND UNDERBODY PROTECTION

Art. No.	Content	Colour
0892075250	500 ml	Black
0892075350	500 ml	Grey
0892075300	1000 ml	Grey
0892075200	1000 ml	Black

- Rubber-based coating compound containing solvents, can be painted.
- Excellent adhesion, rapid skin formation.
- Scratch-proof.
- Excellent stone chip protection.



CAVITY WAX

Art. No.	Content
0892082500	500 ml
0892082100	1 L

- For repairs and long-lasting protection.
- High creep capability and very good penetration.
- Penetrates and displaces moisture.
- High thermal resistance and good cold temperature flexibility.



UNDERBODY SEAL - BLACK 10 L

Art. No. 5997633518



SPRAY GUN -UNDERBODY COATING

Art. No. NDI0000217

- For applying stone chip and underseal products containing solvents.
- Application pressure: 3-4 bar



SPRAY GUN -UNDERBODY COATING

Art. No. 08911063

- For applying stone chip and underseal products containing solvents.
- Application pressure: 3-4 bar



SPRAY GUN - CAVITY WAX

Art. No. 0891 130003

- For applying cavity sealing products.
- Quick-release coupling.
- Robust, compact design.

ENGINE

VEHICLE CARE



V-BELT SPRAY 400 ml

Art. No. 0893230

- For extending the service life of V-belts.
- Prevents slipping, transfers full drive output.
- Eliminates squeaking.



PLASTIC & RUBBER CARE

Art. No.	Contents
089347726	100 ml
0893221525	500 ml

Protects, maintains surface of plastic and rubber components.



OIL/ADDITIVE/COOLANT

ENGINE OIL & ADDITIVES



ENGINE OIL 15W 40

Grade : CF4		Grade : CH4		Grade : CI4	
Art. No.	Contents	Art. No.	Contents	Art. No.	Contents
0897154001	1 L	5869115411	1 L	0897154107	7.5 L
0897154705	7.5 L	5869115403	4 L	0897154115	15 L
0897154015	15 L	5869115412	5 L	0897154155	55 L
0897154055	55 L	5869115407	7.5 L	0897154205	210 L
0897154210	210 L	5869115408	15 L		
		5869115414	55 L		
		5869115415	210 L	1	



ENGINE OIL ADDITIVE

Art. No.	Contents
5861300001045 50	40 ml
5861300305	50 ml
5861300325	250 ml

- Protects all petrol and diesel engines.
- Extends the service life of the



DIESEL ADDITIVE 250 ml

Art. No. 5861001325

- For lubricating diesel fuel systems in passenger cars and trucks.
- Prevents deposits in combustion chamber and injection system.



WINTER DIESEL ADDITIVE 300 ml

Art. No. 5861002300

• To improve the filterability and the cloud point of diesel fuel.



HYDRAULIC OIL AW68 26 L

Art. No. 0897746023045 1

- Excellent anti-wear properties.
- Good oxidation and thermal stability.
- Good water tolerance.
- Excellent hydrolytic stability.
- · Extended pump durability.



API GL - 4

GEAR OIL 80W 90

Art. No.	Contents
0897180901	1 L
0897180906	55 L
0897180905	210 L


- Multi-purpose gear oil for all vehicle.
- Reduces running noises and provides outstanding protection against wear.
- Optimum lubrication, even with extremely long oil change intervals.



HYDRAULIC OIL AW68 210 L

Art. No. 0897746022045 1







OIL/ADDITIVE/COOLANT

COOLANT



RADIATOR COOLANT - WTPC

- Suitable for all types of vehicles.
- Protects engine block from Rust/Corrosion.
- Prevent boiling of cooling water in most severe conditions.

Art. No.	Colour	Contents
0892601601	Green	1 L
0892601602	Blue	1 L
0892601603	Violet	1 L
0892601604	Red	1 L
0892601605	Green	210 L
0892602606	Blue	210 L
0892601606	Red	210 L



RADIATOR COOLANT - WTC

Art. No.	Colour	Contents
0892501601	Green	1 L
0892501604	Green	3 L
0892501605	Green	5 L
0892501603	Red	1 L
0892501606	Red	5 L
0892501602	Blue	1 L
0892501610	Violet	1 L



RADIATOR FLUSH & CLEANER 250 ml

Art. No. 0893556002

- Cleans the entire cooling system.
- Dissolves & combines residues containing oil & grease.
- Dislodges & removes lime & corrosion deposits.
- Ensures optimum engine cooling and reliability.



ANTI FREEZE COOLANT

Art. No. 0893556371

OIL FILTER WRENCHES



- The most commonly used filter wrench on French vehicles
- However, it is also frequently used on construction vehicles such as tracked excavators

Length in mm	Max. Clamping dia. in mm	Art. No.	P. Qty.
280	110	0714 57 12	1
Replacement belt		0714 57 13	5



OIL FILTER CHAIN

Clamping width in mm	Art. No.	P. Qty.
арргох. 65 - 115	0714 57 10	1

- 3-Arm, with great transmission.
- Internal hexagon drive 1/2" and external hexagon, size 2.
- Claw length 45 mm



OIL FILTER SPIDER

Clamping width in mm	Art. No.	P. Qty.
up to 110 mm dia.	0714 57 11	1

- Especially suitable for hard-to-filter cartridges such as in the VW Golf
- Internal hexagon 1/2" and external hexagon, size 24



OIL/ADDITIVE/COOLANT

EQUIPMENT



OIL EXTRACTION UNIT

Art. No. 07159391

- For mobile operation, complete with 7 suction tubes.
- Vacuum extraction.
- Emptied by pressure pad (0.5 bar).
- Transparent suction head.
- •Oil can be drained from multiple vehicles one after the other.



MULTI-PURPOSE ELECTRONIC HAND-HELD LAMP, 8W

Art. No. 0981700

• Multi-purpose hand-held lamps for motor vehicle mechanics and industry.



COOLING SYSTEM TESTER WITH INFLATABLE SEALING BLADDER

Art. No. 085352

- Universal application for pressure testing on radiator systems.
- Inflatable sealing bladder for very high coverage of radiator systems.
- Universal applications for water-cooled engines.
- Circlips for testing on running engines.



VISUAL ANTI-FREEZE BATTERY AND AD BLUE TESTER

- For reliable testing of coolant anti-freeze, battery acid and AD Blue in one unit.
- Simple test of display accuracy with distilled water.



C-PARTS



HOSE CLAMP

Art. No. 0539...

- Asymmetrical housing.
- Even distribution of force.
- Clamp head does not tilt away during tightening.
- Smooth and indented strap interior with rounded edges.



JOINT BOLT CLAMP

Art. No. 0537125082...

- For hoses with a high level of hardness or inserts made of metal or plastic.
- Extremely high tightening force.
- Rounded edges/hose bridge.



HOSE CLAMP SETS

Art. No. 05391207

- Asymmetrical housing.
- Even distribution of force.
- Clamp head does not tilt away during tightening.
- Smooth and indented strap interior with rounded edges.



HOSE CLAMP RAPID

Art. No. 0547320032...

- Quick-release fastener.
- •Clamping range (25-40 mm).
- Strap perforation cover/ turned-up edges.
- · Long hexagonal bolt.



ONE EAR CLAMP

Art. No. 0541175...

- Low overall height.
- Small clamping range.
- Precise installation, even in the tightest of spaces.



PIPE CLAMP

Art. No. 054222 20...

- Fastening clamp with rubber profile.
- Reinforced tabs.

Strap width 7.5/9 mm

Strap width	Clamping range	Art. No.	P.Qty.	P. set
in mm	in mm			
7.5	8 - 12	05398 12		
7.3	10 - 16	0539 10 16		_
	8 - 16	0539 18 16		20
	12 - 22	0539 112 22		10
	16 - 27	0539 116 27	50/10	20
	20 - 32	0539 120 32		10
	25 - 40	0539 125 40		
	30 - 45	0539 130 45]	-
9	32 - 50	0539 132 50	1	
9	40 - 60	0539 140 60		
	50 - 70	0539 150 70	25/50	10
	60 - 80	0539 160 80		
	70 - 90	0539 170 90		1
	80 - 100	0539 180 100]	
	90 - 110	0539 190 110	25	-
	100 - 120	0539 110 120	1	

Strap width 12 mm

Strap width	Clamping range	Art. No.	P.Qty.	P. set
in mm	in mm			
	16 - 27	0549 216 27		
	20 - 32	0549 220 32	50/100	
	25 - 40	0549 225 40		
	35 - 50	0549 235 50	50	
	40 - 60	0549 240 60		
	50 - 70	0549 250 70		10
	60 - 80	0549 260 80	25	
12	70 - 90	0549 270 90		
	80 - 100	0549 280 100		
	90 - 110	0549 290 110	20	
	100 - 120	0549 200 120		
	110 - 130	0549 210 130	10	
	120 - 140	0549 220 140		
	130 - 150	0549 230 150	5] -
	140 - 160	0549 240 160		







17 PCS 1/4" HEX SOCKET WRENCH SET

Art No. 5763 114 017

Powerful and precise tightening in handy case

ORSY ready - ORSY 2.3 case perfectly fitting for ORSY System

Contents:

12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12

I 13 I 14 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

2 pcs - 1/4" Extension Bar: 100 | 150 mm

1 pc - 1/4" Joint

1 pc - 1/4" Universal Joint



24 PCS 1/4" HEX SOCKET WRENCH SET

Art No. 5763 114 024

Extensive socket wrench assortment in compact case

ORSY ready - ORSY 2.3 case perfectly fitting for ORSY System

Contents:

12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12

| 13 | 14 mm

7 pcs - $1\!\!/4''$ Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 | $\,$ 14 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

2 pcs - 1/4" Extension Bar: 100 | 150 mm

1 pc - 1/4" Joint

1 pc - ¼" Universal Joint



 $0.8 \times 5.5 \text{ mm}$



PH1 | PH2 | PH3



H3 | H4 | H5 | H6

T10 | T15 | T20 | T25 | T30 | T40

32 PCS 1/4" HEX SOCKET WRENCH SET

Art No. 5763114032

Selected sockets and bits in a convenient assortment

ORSY ready - ORSY 2.3 case perfectly fitting for ORSY System

Contents

12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12

| 13 | 14 mm

1 pc - ¼" Spanner handle | 200 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - 1/4" Extension bar: 150 mm

1 pc - 1/4" Flexible extension: 150 mm

1 pc - ¼" Universal Joint

15 pcs - 1/4" Bit Sockets 25 mm



RED STRIPE





 $0.8 \times 5.5 \text{ mm}$



PH1 | PH2 | PH3



H3 | H4 | H5 | H6



T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40

40 PCS 1/4" HEX SOCKET WRENCH SET

Art No. 5763 114 040

Extensive socket and bit assortment in handy case

ORSY ready - ORSY 2.3 case perfectly fitting for ORSY System

Contents:

12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 |

11 | 12 | 13 | 14 mm

7 pcs - ¼" Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 |

14 mm

1 pc - 1/4" Spanner handle | 150 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - ¼" Extension Bar: 100 mm

1 pc - 1/4" Universal Joint

1 pc - 1/4" Hex Bit Adaptor | 25 mm 16 pcs - 1/4" Bit Sockets | 25 mm



22 PCS 1/2" HEX SOCKET WRENCH SET

Art No. 5763 112 022

Compact socket wrench set containing the most popular sizes

ORSY ready - ORSY 4.4 case perfectly fitting for ORSY System

Contents:

17 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |

21 | 22 | 24 | 27 | 30 | 32 mm

1 pc - ½" Quick release ratchet handle | 72 Teeth

2 pcs - 1/2" Extension Bar: 125 | 250 mm

1 pc - ½" x ¾" T-Head 1 pc - ½" Universal Joint



24 PCS 3/8" HEX SOCKET WRENCH SET

Art No. 5763 138 024

Extensive socket wrench assortment in compact case

ORSY ready - ORSY 4.4 case perfectly fitting for ORSY System

Contents:

16 pcs - 3%" Sockets: 6 | 7 | 8 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |

19 | 21 | 22 | 24 mm

1 pc - 3/8" Quick release ratchet handle | 72 Teeth

1 pc - 3%" Universal Joint

2 pcs - 3/8" Extension bar : 75 | 250 mm

1 pcs - 3/8" T-Adapter

ocs - 3%" Spark plug sockets: 16 | 18 | 21 mm



RED STRIPE





 $0.8 \times 5.5 \text{ mm}$



PH1 | PH2 | PH3



H3 | H4 | H5 | H6



T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40

72 PCS 1/4" + 1/2" HEX SOCKET WRENCH SET

Art No. 5763 100 072

Vast selection of sockets and bits in convenient assortment

ORSY ready - ORSY 4.4 case perfectly fitting for ORSY System

Contents:

1/2" - 22 Pieces

17 pcs - ½" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |

22 | 24 | 27 | 30 | 32 mm

1 pc - ½" Quick release ratchet handle | 72 Teeth

2 pcs - 1/2" Extension bar: 125 | 250 mm

1 pc - ½" x ¾" T-Head 1 pc - ½" Universal Joint

1/4" - 50 Pieces

12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

14 pcs - $\frac{1}{4}$ " Bit sockets: H3 | H4 | H5 | H6 | T 10 | T15 | T20 | T25 | T30 | T40 |

PH1 | PH2 | PZ1 | PZ2

1 pc - ¼" Quick release ratchet handle | 72 Teeth

1 pc - ¼" Spanner handle 150 mm

2 pcs - 1/4" Extension bar: 100 | 150 mm

1 pc - 1/4" x 3/8" T-Head

1 pc - 1/4" Universal Joint

1 pc - 1/4" Flexible extension 145 mm

1 pc - 1/4" Bit Coupler

16 pcs - 1/4" Bits 25mm







1/4" Bits:



SL3 | SL4 | SL5 | SL6



PH1 | PH2 | PH3



PZ1 | PZ2 | PZ3



H3 | H4 | H5



T10 | T15 | T20 | T25 | T30

5/16" Bits:



SL6 | SL7 | SL8



PH3 | PH4



PZ2 | PZ3



H5 | H6 | H7 | H8



T25 | T27 | T30 | T40 |

AIT 140.

154 PCS 1/4" HEX SOCKET WRENCH SET

Art No. 5763 100 154

State of the art bits and socket assortment in high quality BMC case.

ORSY ready - ORSY 8.4 case perfectly fitting for ORSY System

Contents:

1/4"- 79 Pieces

12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

8 pcs - 1/4" Deep sockets: 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - 1/4" E-Profile sockets: E4 | E5 | E6 | E7 | E8

2 pcs - 1/4" Extension bar: 50 | 150 mm

8 pcs - 1/4" Bit Sockets [Bit: S2]: T8 | T9 | T10 | T15 | T20 | T25 | T27 | T30

8 pcs - 1/4" Bit Sockets [Bit: S2]: T8H | T9H | T10H | T15H | T20H | T25H | T27H |

T30H

6 pcs - 1/4" Bit Sockets: PZ1 | PZ2 | PZ3 | PH1 | PH2 | PH3

8 pcs - 1/4" Bit Sockets: H3 | H4 | H5 | H6 | SL4 | SL5.5 | SL6.5 | SL7

1 pc - 1/4" Universal Joint

1 pc - 1/4" Spinner Handle: 200 mm

1 pc - ¼" Bit Coupler 18 pc - ¼" Bits 25mm

3/8" - 29 Pieces

10 pcs - 3%" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 mm

9 pcs - 3%" Deep Sockets: 8 | 10 | 11 | 13 | 16 | 17 | 18 | 19 | 21 mm

1 pc - 3/8" Quick release ratchet handle | 72 Teeth

6 pcs - 3/8" E-Profile sockets: E10 | E11 | E12 | E14 | E16 | E18

1 pc - 3/8" Extension Bar: 125mm

1 pc - 3/8" Hexagon bit coupler: 5/16"

1 pc - 3/8" Universal Joint

1/2" - 46 Pieces

15 pcs - ½" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 17 | 19 | 20 | 21 | 22 | 24 |

27 | 30 | 32 mm

4 pcs - 1/2" Deep Sockets: 17 | 18 | 19 | 22 mm

1 pc - 1/2" Quick release ratchet handle | 72 Teeth

3 pcs - 1/2" E-Profile sockets: E20 | E22 | E24

2 pcs - 1/2" Extension Bars: 125 | 250 mm

1 pc - ½" x ¾" T-Head

1 pc - 1/2" Universal Joint

1 pc - 1/2" Hexagon bit coupler: 5/16"

2 pcs - 1/2" Bit Sockets [Bit: S2]: T55 | T60

16 pc - 5/16" Bits 30mm



RED STRIPE



RATCHET

Art No. 5763...

- Available in 1/4", 3/8", 1/2"
- Fast, simple changeover from clockwise to anti-clockwise rotation
- •72 teeth gear offers a 5° swing arc for precise movement and easy use in confined spaces



ADJUSTABLE WRENCH

Art No. 5754...

- •6" (150 mm) Art. 5754221106
- •8" (200 mm) Art. 5754221108
- •10 " (250 mm) Art. 5754221110
- •12 " (300 mm) Art. 5754221112
- •15" (375 mm) Art. 5754221115
- •18" (450 mm) Art. 5754221118



ALLEN KEYS, HEX

Art No. 5752042 030

- •9 Piece Set (1,5 10 mm)
- Short version
- · With tool holder



ALLEN KEYS, HEX

Art No. 5752042 030

9 Piece Set (1,5 - 10 mm)

Art No. 575241 101

7 Piece Set (1,5 - 6 mm)

ALLEN KEYS, TX

Art No. 575239 101

8 Piece Set (TX9 - TX40)



ALLEN KEYS, HEX

Art No. 575243 100

- 9 Piece Set (1,5 10 mm)
- Long version
- With tool holder



STRAIGHT HANDLE SCREWDRIVER

Art No. 5751...

- S2 Blade with chrome plated, black tip for extended durability and lifetime
- •SLotted 3.5 | 4.0 | 5.5 | 6.5 | 8.0
- •PH 1 | 2 | 3
- •PZ 1 | 2 | 3
- •Torx 10 40
- •6 PC Set SL & PH
- 7 PC Set TX



T HANDLE SCREWDRIVER

Art No. 5751...

- •Hex 2.5 | 3 | 4 | 5 | 6 | 8 | 10
- •Torx TX10 | TX15 | TX20 | TX25 | TX30 | TX 40
- •6 PC Set HEX
- 7 PC Set TX









COMBINATION SPANNER, 17 PCS.

Art No. 5754 101 917

- •Geometry: Ring side 15° angled down, openedend position 15°
- Available Sizes: 6 36 mm
- Available Sets: 8 | 12 | 17 | 25 Pcs





DOUBLE OPEN ENDED SPANNER, 12 PCS.

Art No. 5754 104 912

- \bullet Geometry: Angle on open side 15°
- Available Sizes: 6x7 32x36 mm
- •12 Pcs Set (6x7 32x36 mm)





DOUBLE RING SPANNER, 12 PCS.

Art No. 5754 105 912

- Drive: Double Hexagonal
- Available Sizes: 6x7 36x41 mm
- •12 Pcs Set (6x7 30x32 mm)





COMBINATION WRENCH ASSORTMENT - SHORT TYPE

Art. No. 07133014...

Art. No.	Width	Contents
071330140	8-22 mm	11 pcs
071330141	6-22 mm	17 pcs
071330142	5.5-34 mm	28 pcs



DOUBLE OPEN-END WRENCH ASSORTMENT

Art. No. 07133044...

Art. No.	ws	Contents
071330440	6-22 mm	8 pcs
071330441	6-27 mm	10 pcs
071330442	6-32 mm	10 pcs
071330443	6-32 mm	12 pcs



COMBINATION WRENCH ASSORTMENT, OFFSET - 9 pcs

Art. No. 071330250



COMBINATION WRENCH ASSORTMENT, INCH-12 pcs

Art. No. 071330341



COMBINATION WRENCH SET, EXTRA LONG - 12 pcs

Art. No. 071330851



ADJUSTABLE OPEN-END WRENCH

Art. No.	Length
071522108	8 inch
071522110	10 inch





ALLEN KEY SET, HEXAGON SOCKET - BALL HEAD 1.5 - 10, 9 pcs

Art. No. 071540100

- 9 pieces. Ball head, extra-long version, in plastic holder with sliding function.
- Contents: 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10.



ALLEN KEY SET WITH BALL HEAD TX 9-40, 8 pcs

Art. No. 071537100



ALLEN KEY SLIDING SET TX 9-40, 8 pcs

Art. No. 071536100



ALLEN KEY SET SHORT 1.5 - 10 mm, 9 pcs

Art. No. 071531100

Bright nickel-plated



ALLEN KEY SLIDING SET 1.5 - 10 mm, 9 pcs

Art. No. 071531120



GUN MAGAZINE SCREWDRIVER

Art. No. 0613640...

- With LED light, empty.
- High-performance ratchet screwdriver.
- 2C grip for optimum ergonomic work.
- Inclusive of 6 bits.



BIT SET - 105 pcs

Art. No. 0614250300

Extensive 1/4 inch bit assortment with short and long versions of the most common standard and security bits.



T-HANDLE RATCHET SCREW DRIVER SET – 21 pcs

- High-performance ratchet screwdriver.
- Large number of different reversible blades, adapters, bit holders and socket wrench inserts.
- High-quality reversible blades.





SCREWDRIVER SET AUTOMOTIVE/METAL 5 pcs

Art. No. 06139255

mm 👄	Art. No.	0	Art. No.	PU/Qty.
1.0 x 5.5 x 100	0613 424 055	PH 1	0613 425 1	1
1.2 x 6.5 x 125	0613 424 065	PH 2	0613 425 2	1
1.6 x 8.0 x 150	0613 424 08			1



SCREWDRIVER SET FOR HEXAGON HEAD SCREWS 6 pcs

Art. No. 06139366

	O	A mm	Art. No.	O	A mm	Art. No.	PU/Qty.
ı	7.0	125	0613 436 07	10	125	0613 436 10	
	8.0	125	0613 436 08	12	125	0613 436 12	1
				13	125	0613 436 13	



PRECISION FEELER GAUGE

Description	Art. No.	Colour
Feeler Gauge 13 pc	071351 41	Blue
Feeler Gauge 20 pc	071351 42	Green
Feeler Gauge 21 pc	071351 43	Red

- For checking spark plug electrode gapsNon-magnetic



T-HANDLE SOCKET WRENCH SET 5 pcs

Art. No. 061391205

O in mm	Blade length in mm	Art. No.	P. Qty.
6.0	125	0613 120 06	1
7.0	125	0613 120 07	1
0	125	0613 120 08	1
10.0	125	0613 120 10	1
13.0	125	0613 120 13	1



T-HANDLE SCREWDRIVER SET TX 6 pcs

	Blade length in mm	Art. No.	P. Qty.
TX 10	100	0613 140 10	1
TX 15	100	0613 140 15	1
TX 20	200	0613 140 20	1
TX 25	200	0613 140 25	1
TX 30	200	0613 140 30	1
TX 40	200	0613 140 40	1





SCREWDRIVER SET TX 8 pcs

Art. No. 06139348

0	A mm	Art. No.	P. Qty.
TX 10	80	0613 434 10	1
TX 15	80	0613 434 15	1
TX 20	100	0613 434 20	1
TX 25	100	0613 434 25	1
TX 27	115	0613 434 27	1
TX 30	115	0613 434 30	1
TX 40	130	0613 434 40	1
TX 45	130	0613 434 45	1



UNIVERSAL SHEARS

Art. No. 0714031028

- Universal straight-cutting leverage snips.
- Extra long, laterally stepped blades.
- Stainless steel cutting head.
- Robust, maintenance-free, bright nickel-plated steel handle.
- Angled cutting head.



PLIERS ASSORTMENT 1

4 pcs

Art. No. 071401560

Contents	Art. No.	Total Length
Combination	0714 01 555	180 mm
Wire	0714 01 550	160 mm
Snipe	0714 01 557	210 mm
Power	0714 01 552	160 mm



CIRCLIP PLIERS SET

Art. No. 071402...

Description	Art. No.
Straight curved	071402 30
Straight	071402 31
Curved	071402 32



CLIP REMOVAL PLIERS

- Simple removal of decorative trim, fender rubber, door paneling, etc.
- Does not damage door paneling.
- Removed clips can be re-used.
- Blade opening: 11 mm.
- Length: 280 mm.





ASSEMBLY WEDGE SET 12 PCS

Art. No. 071458 245



WORKSHOP FILE SET

Art. No. 071461 90

Contents:

- Flat blunt.
- Semi-circular.
- Circular.
- Triangular.
- Square.



CLIP REMOVAL 280 mm

Art. No. 071434 52



CLIP REMOVAL, Short

Art. No. 071434 53





WINDOW AND TRIM WEDGE

Art. No. 071458 30



STEPPED LEVER

Art. No. 071458 38



PLASTIC TRIM WEDGE

Art. No. 071458 32



1" T-HANDLE

Art. No. 0712130201

Sliding handle with ball lock can be used as a T or an L-handle.

- Design: Chromium-plated
- Tip size: 1/2 inch





SIMPLEX SOFT FACE HAMMER

- Rubber, D 50 mm

Art. No. 07157230

- Aluminium housing.
- 2 hammers in 1 with 2 different impact inserts.



SIMPLEX SOFT FACE HAMMER D 40 mm

Art. No. 07157210

- Soft face hammer with custom equipment.
- Impact insert combination creates 2-in-1 soft face hammer.
- Includes inserts: Black rubber composition and red plastic.



RECOIL FREE HAMMER

Art. No. 07157235

Recoil-free soft-face hammer for corners, edges and surfaces for which hammers with round impact inserts are unsuitable.





3/4" RATCHET

Art. No. 071514101

• Flexible 2-part handle



MECHANICS HAMMER

Art. No. 0714732403

- Robust 3-component hammer handle for use in the toughest conditions.
- · Vibration-free working.



NON-REBOUNDING HAMMER

Art. No. 071572 52

- Nylon head inserts.
- Casing filled with steel shot.
- As the hammer strikes, the steel shot delivers additional blows.
- No power loss due to rebounding.



1/2" RATCHET

Art. No. 07120120

- Reversible ratchet wrench with rotary disc reverse.
- Simple changeover from clockwise to anti-clockwise rotation.
- Fine tooth rotary disc with 72 teeth; 5° angle of rotation.
- Chrome-plated, 2-component handle.



1/4" RATCHET

Art. No. 07120140



3/8" JOINTED HEAD RATCHET

Art. No. 071512 140

- Model: Chrome-plated.
- Head: Joint rotatable by 180 degree.
- •Jointed-head ratchet can be extended using locking sleeve.





TORQUE WRENCH REVERSIBLE RATCHET 1/4" (4-20NM)

Art. No. 0714720020

Compact, slim torque wrench with 1/4 inch square drive and ratchet head



TORQUE WRENCH 3/4" (300-1000NM)

Art. No. 07147125



DRIFT PUNCH SET - 14 PCS

Art. No. 0965905701



1" SOCKET WRENCH ASSORTMENT 12 pcs

Art. No. 09651512



1/4" SOCKET WRENCH ASSORTMENT 16 pcs

Art. No. 09651116



TORQUE WRENCH

Drive	Measuring range		Art. No.
	Nm	lbf. ft.	
3/8"	20-100	15-73	0714720100 1
1/2"	20-100	15-73	0714720101 ₂
1/2"	40-200	30-146	0714720200 3
1/2"	60-300	45-220	0714720300 ₄



TORQUE WRENCH 3/4" (110-550NM)

Art. No. 07147126



METAL BOW SAW, ERGONOMIC

Art. No. 5760071001



1/2" SOCKET WRENCH ASSORTMENT 23 pcs

Art. No. 096513230



3/4" SOCKET WRENCH ASSORTMENT 15 pcs





3/8" SOCKET WRENCH ASSORTMENT

Art. No. 096512 34

Contents: 34 pcs.

- Reversible ratchet.
- Extension, 75 mm.
- Extension, 250 mm.
- Cardan joint.
- 14 socket wrench inserts, short: Sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm.
- 8 socket wrench inserts: E 5, 6, 7, 8, 10, 11, 12, 14 mm.
- •8 TX socket wrench inserts: TX 15, 20, 25, 27, 30, 40, 45, 50 mm.



1/2" & 1/4" SOCKET WRENCH SET

Art. No. 09651756

Contents: 56 pcs.

1/4"

- Ratchet.
- Extension, 100 mm.
- Extension, 150 mm.
- Cardan joint.
- 12 Socket wrenches: 4; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm 1/2"
- Ratchet.
- Extension, 125 mm.
- Extension, 250 mm.
- Cardan joint.
- 19 Socket wrenches: (10 32) mm.
- Handle, 1/4".
- Adapter with quick-change chuck.
- •15 Bits: PH 1, 2, 3; slotted 0.8 x 5.5 mm; Internal hex. 3, 4, 5, 6 mm.
- •TX 10, 15, 20, 25, 27, 30, 40 mm.



UNIVERSAL TOOL CASE 93 PCS.

Art. No. 096593180

Contents: 93 pcs.

- •The ideal choice for use on the move
- Extensive set
- All common tools in one case
- High-quality case
- Plastic case with snap lock



DRILLING & PUNCHING



TWIST DRILL BIT SET 19 Pc., HSS

Art. No. 0624700019

- Extra-short steel precision drill bit for general, broad applications in steel up to 850 N/mm2 strength and in cast iron.
- Precise drilling without centring, even on curved surfaces.
- Ideal for core drill holes



SPIRAL DRILL BIT - HHS, METAL SET

Art. No. 062501

- Economical HSS twist drill for general use in steel, up to 800 N/mm².
- Clearly laid down, consistent quality above market standards.
- For use in hand-held drills.



CHISEL SET - 4 PCS

Art. No. 071463 40

- Completely hardened shaft, Chrome vanadium air hardening steel.
- Regrindable blade.
- Oil-resistant PVC and Octagonal handle.
- Rebound impacts.
- Contents: Electricians' slitting chisel, bodywork chisel, stone chisel, joint chisel.



SCREW EXTRACTOR ASSORTMENT

Art. No. 0695684353

- Chrome vanadium, forged. Contents:
- •5 screw extractors.
- Sizes 1, 2, 3, 4 and 5 (M3-M18).



PIN PUNCH SET 6 PCS

Art. No. 07146341

Pin Punch Set with Tempered striking heads. Contents:

6 Pin Punches

Sizes 2, 3, 4, 5, 6, 8.



STUD EXTRACTOR ASSORTMENT

Art. No. 06904211

• For driving in and extracting stud bolts with and without threads in seconds.

Contents:

•4 stud extractors: Dia (6, 8, 10, 12) mm.



MOUNTED POINT SET KIT

Art. No. 068010

- Grinding Pencils for Coarse Grinding.
- Abrasive: specially fused alumina.
- Bond: ceramic.



THREAD EXTRACTOR SET 25 pcs

- For broken-off screws and bolts from 6–16 mm or 1/4 to 5/8 inches.
- Complete set, also comprises necessary twist drills.





TIME-SERT® THREAD REPAIR ASSORTMENT

Art. No. 5964096171

- Complete Set M5/M6/M8/ M10/M12.
- Metric coarse thread.
- Bushes and tools for 5 sizes with 2 different lengths of bushes.
- Contents: 70 pcs.
- (Thread \emptyset x pitch x length, mm)
- M 5 x 0.8 x 7.6
- M 5 x 0.8 x 10.0
- M 6 x 1.0 x 9.4
- M 6 x 1.0 x 12.0 • M 8 x 1.25 x 16.2
- M 8 x 1.25 x 11.7
- M 10 x 1.5 x 14.0
- M 10 x 1.5 x 20.0 • M 12 x 1.75 x 16.2
- M 12 x 1.75 x 24.0



THREAD CUTTING TOOL SET HSS 44 PCS.

Art. No. 5964065244

- Contents: 44 pcs.
- Taper taps in sizes M3, M4, M5, M6, M8, M10, M12.
- Second taps in sizes M3, M4, M5, M6, M8, M10, M12.
- Third taps in sizes M3, M4, M5, M6, M8, M10, M12.
- Dies in sizes M3, M4, M5, M6, M8, M10, M12.
- Adjustable performance tap wrench in sizes 2 6.3 mm; 3 9 mm
- Die holders in sizes 20×5 ; 20×7 ; 25×9 ; 30×11 ; 38×14 .
- Twist drill bits in sizes 2.5mm; 3.3mm; 4.2mm; 5mm; 6.8mm; 8.5mm; 10.2mm.
- Tool holder with ratchet Suitable for Screw tap M3 M8, square drive 2.4 -5.5 mm.
- Slotted screwdriver 1 x 5.5 mm; Blade length 25 mm.

AUTOMOTIVE SPECIAL



LETTER PUNCHES

Art. No. 0695941625

Character height: 5 mm



REFLECTIVE TAPE $50 \text{ mm} \times 50 \text{ m}$

Art. No.	Colour
5997784966090 1	Yellow
5997784968090 1	White
5997784967090 1	Red



MAGNETIC LIFTER

Art. No. 071535 35

Flexible shaft for versatile applications.



E-MOBILITY







Art. No. 5964502001

32 PCS

16 PCS

TOOL CASE ELECTRIC AND HYBRID VEHICLE SYSKO

- Especially suitable for electric and hybrid vehicles.
- Case containing a wide range of the most important VDE tools and accessories
- Suitable for vehicles from any manufacturer



VDE 3/8" RATCHET

Art. No. 0715003038

- Especially for electrical and hybrid vehicles
- For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC), observing all prescribed safety precautions



VDE 3/8" EXTENSION

Art. No. 071500301



3/8" VDE SOCKET WRENCH

r		
	Art. No.	Width
	071500308	8 mm
	071500310	10 mm
ĺ	071500312	12 mm



BOX WRENCH VDE

Art. No.	Width
715002308	8 mm
715002310	10 mm
715002312	12 mm
715002313	13 mm
715002314	14 mm



3/8" VDE SOCKET WRENCH HEXAGON SOCKET

Art. No.	Width
071500404	4 mm
071500406	6 mm



3/8" VDE SOCKET WRENCH HEXAGON

Art. No.	Width			
715003108	8 mm			
715003110	10 mm			
715003112	12 mm			
715003113	13 mm			
715003114	14 mm			
715003117	1 <i>7</i> mm			



E-MOBILITY



TWO-PIN VOLTAGE TESTER MULTI-TESTER PRO II LED

Art. No. 071553165

Overvoltage category CAT IV (1000 V) – suitable for use in electrical installation and servicing work, and for testing hybrid and electric vehicles and photovoltaic systems.



DIGITAL MULTIMETER MM 600 TRMS

Art. No. 071553415

Modern, digital multimeter with effective value measurement (TRMS), cable break detector and LED pocket torch for professional use in trade and industry.



MINI DIGITAL MULTIMETER

Art. No. 071553 370

Small meter for measuring direct and alternating current, resistance testing, continuity testing, diode testing and for contactless voltage testing.







1/2" PNEUMATIC IMPACT WRENCH

Art. No. 07037560

- Outstanding power-to-weight ratio.
- High performance twin hammer impact mechanism and heavy duty hammer system provides up to 860 Nm of maximum torque in reverse.
- Six-position power management operated by turn-knob in forward & reverse.



3/4" PNEUMATIC IMPACT WRENCH

Art. No. 070331134 961 1

- High-quality twin hammer mechanism provides more power and smooth balanced blows for reliable, maximum performance values.
- Max Torque: 1490 Nm.



1" PNEUMATIC IMPACT WRENCH, SHORT

Art. No. 07037760

- Extremely rugged and powerful impact wrench with quick torque buildup.
- Ideal for service work on trucks and buses, as well as on construction and agricultural machines.
- 4 tightening torque levels (895 1694) Nm.
- Max. loosening torque 2440 Nm.



1" PNEUMATIC IMPACT WRENCH, LONG

Art. No. 07037700

- •Working torque levels: 1152 2168 Nm.
- Max. Loosening torque: 2846 Nm.
- High-quality pin-less hammer striking mechanism.
- Avg. operating pressure: 6.3 bar.
- •Weight: 13.06 kg



1" HEAVY DUTY PNEUMATIC IMPACT WRENCH, LONG

Art. No. 07037900

- •Working torque levels: 1287 2440 Nm
- Max. Loosening torque: 3661 Nm
- High-quality pin-less hammer striking mechanism.
- Avg. operating pressure: 6.3 bar.
- •Weight: 17.3 kg



1" IMPACT SOCKET SET, SHORT - 4 pcs

Art. No. 07141500

Art. No.	L in mm	Model	Size in mm
07141502	58		27
07141503		Metric,	30
07141504	60	Short	32
07141533			33



1/2" IMPACT SOCKET SET, SHORT - 4 pcs

Art. No.	L in mm	Model	Size in mm
07141319	45	Metric, Short,	1 <i>7</i>
07141320			19
071413212		Deep	21
07141321		,	22





1/2" IMPACT SOCKET WRENCH, SHORT

Hexagon, metric, short

Size in mm	L in mm	Art. No.
10	38 mm	071421 10
11	38 mm	071421 11
12	38 mm	071421 12
13	38 mm	071421 13
14	38 mm	071421 14
15	38 mm	0714 21 15
17	38 mm	0714 21 17
19	38 mm	0714 21 19
21	38 mm	0714 21 21
22	38 mm	0714 21 22
23	40 mm	0714 21 23
24	40 mm	0714 21 24
27	42 mm	0714 21 27



3/4" IMPACT SOCKET WRENCH, SHORT

6-point, metric, short

Size in mm	L in mm	Art. No.
19	53 mm	07144319
21	53 mm	0714 43 21
22	53 mm	0714 43 22
27	53 mm	0714 43 27
30	53 mm	0714 43 030
32	57 mm	0714 43 32
33	57 mm	0714 43 33
34	57 mm	0714 43 34
36	57 mm	0714 43 36



1/2" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
21	29.8 mm	0714 21 211
19	28 mm	0714 21 191



3/4" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
24	38 mm	0714 43 024
30	46 mm	0714 43 130
36	54 mm	0714 43 361



1/2" POWER EXTENSION

Length	Art. No.	
150 mm	0714 21 125	
250 mm	0714 21 250	
75 mm	0714 21 75	

1/2-inch square drive and ball lock

• Suitable for all standard compressed air and electric screwdrivers



1" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
27	90 mm	0714 10 271
32	90 mm	0714 10 321
33	90 mm	0714 10 331
36	92 mm	0714 10 361





PNEUMATIC DIE GRINDER DSG 22 STANDARD

Art. No. 07032270

• Very durable and lightweight general purpose die grinder for a variety of applications.

Max. idle speed: 22000 rpm
Power output: 336 W
Operating pressure: 90 psi
Weight of machine: 600 g



PNEUMATIC ORBITAL SANDER

Art. No. 0703 999 010 (Central Vacuum)

- Sanding of putty, fillers, paint finishes and primers.
- Also for grinding of wood, plastic material, non-ferrous metal, steel sheet metal, glass and earthenware, building material etc.
- Dust extraction with vacuum cleaner for Central Vacuum Machine.
- Self Vacuum Machine provided with dust collection bag and hose.



PNEUMATIC BELT SANDER

Art. No. 07032810

- Tool with high removal capacity, ideal for sanding, removes burrs and rust.
- Adjustable arm up to 360 °
- Arm Holder with integrated spring that keeps tension on the sanding belt.
- Quick and easy replacement of sanding belt.



FILTER REGULATOR LUBRICATOR

Art. No.	Description
069910112	FRL - Semi Auto
069900112	FRL - Auto Drain
0699101121	FR

- Filter, Regulator, Oiler combination.
 Supplies clean, regulated, oiled air and increase the performance and service life of your tools.
- High degree of cleaning of the compressed air, filter element 5 μm.



PNEUMATIC ROD GRINDER DSG 25

Art. No. 07032300

- Max. idle speed: 25000 rpm
- Power output: 224 W
- Long-life, handy rod grinder, straight design, with tool-free speed control and rubberised handle to protect against vibrations and cold hands.



PNEUMATIC ROD GRINDER DSW 22

Art. No. 07032310

- Max. idle speed: 22000 rpm.
- Power output: 224 W.
- Long-life, handy rod grinder, angled design, with tool-free speed control and rubberised handle to protect against vibrations and cold hands.





Art. No. 0703 999 009 (Self Vacuum)



PNEUMATIC RIVETER

Art. No. 070393722

- Handy, compact pneumatic unit for processing blind rivets, with rivet mandrel extractor activated by a lockable sliding switch
- Can be used to process blind rivets with a diameter of 2.4 mm-5.0 mm made of any material, and limited use for blind rivets with a diameter of 6.0 mm made of aluminium/steel.
- Maximum mandrel diameter: 3.2 mm.
- Patented gripping jaw system.
- Rivet setting force: 9000 N.
- Minimal compressed-air consumption.
- Over-pressure valve prevents overload.



PNEUMATIC DRILL DBM 10 mm

- Especially lightweight, handy drill with quick-action drill chuck.
- Right/left changeover with 10-mm drill chuck.
- Max. idle speed: 1700 rpm.
- High-quality drill chuck.
- Precision planetary gear for maximum power transmission and long service life.





AIR BLOW GUN

Art. No. 07149210

- Continuously adjustable.
- Insulated, ergonomic handle.
- Lightweight, rugged design.





PNEUMATIC HOSE DRUM

Art. No. 0699999007/8

- •Length: 100 mm
- Max. working pressure: 120 psi
- Colour: Blue & Yellow
- Material: Polyurethane



AIR PISTOL B90

Art. No. 071499210



PNEUMATIC SPIRAL HOSE

Art. No. 0699940610

The highly flexible, fabric reinforced PVC hose for highest demands in the area of compressed air.



1" PNEUMATIC HOSE LONG 20 m

Art. No. 5997557151



MALE COUPLER - EX STEEL

Art. No.	CON Size
0699999000	1/4"
0699999001	1/2″



MALE COUPLER
- EX BRASS - 1/4"

Art. No. 06992114



MALE PLUG STEEL
- IN THREAD - 1/4"

Art. No. 0699999010



FEMALE QRC STEEL for 8 x 12 mm HOSE

Art. No. 069918121



FEMALE COUPLER - IN STEEL

Art. No.	CON Size
0699998050	1/4"
0699998051	1/2″



FEMALE COUPLER
- IN STEEL 1/4"

Art. No. 06991014



FEMALE QRC STEEL 1/4" EX THREAD

Art. No.	CON Size
0699999002	1/4"
0699998052	1/2"



1/4" SWIVEL CONNECTOR For 8 x 12 mm HOSE



DENT REMOVAL



DIGITAL DENT PULLER

Art. No. 5997756364

- For Dent Removal in all steel body work using welding
- For quick removal of dents
- Saves time and material
- Auto start function for quick welding process

Article No.	Description	Image	Qty.
0691500404	Sliding Hammer	— IIII O	1
0691115510	Claw Hammer		1
5997758953	Suction Pad	BEE	1 Set
5997758954	Body Straightener	\Box	1
0691500407	Triangle Washer	A.	10
0691500448	Key Washer Tip	-5	1
0691500386	Twisted Key Washer	77770	10
0691500387	Straight Key Washer	110111	10
5997758955	Round Washer Tip		1
5997758956	Round Washer		50
5997758957	Shrink Push-In Tip		1

Article No.	Description	Image	Qty.
0691500405	Carbon Electrode Rod	*****	5
5997758958	Carbon Electrode Holder	K	1
691500147	Wiggle Wire	^^^^	1
0691510012	Wiggle Wire Tip		1
	Spanner	2	1
	Allen Key		1
	L-Rod		1

Application

- Triangle washer welding
- Round washer welding
- Straight and Twisted long washer welding
- Welding of corrugated wire
- Compression with copper electrode
- Retraction with carbon electrode



PANEL BEATING SET 9 pcs

Art. No. 071574 70

- Round anvil.
- Hand anvil, heel shape.
- Hand anvil for mudguards.
- Lever and planishing tool, small version.
- Lever and planishing tool, strongly angles.
- Planishing hammer, long version.
- Shrink, planishing and finishing hammer, grid.
- Shrink, planishing and finishing hammer.
- Special peen planishing hammer.

HAND DOLLIES



Dolly for wing repair work

Art. No. 07157401



Dolly Toe Shaped heavy duty

Art. No. 07157408



Dolly Mercedes Shape

Art. No. 07157403



Dolly Heel-shapedArt. No. 07157404



Dolly Toe-shaped



WELDING



MIG WELDER 400A

Art. No. 5997669381090 1

- Digitally controlled inverter with latest IGBT technology
- IGBT tehnology provides flawless welding under
- unstable voltage (powered by generators).
- •Heat insulation class "F" electric components can work on temperatures up to 155 °C.
- Detachable wire feeding unit



ANTI - SPATTER SPRAY 500 ml

Art. No. 0893102550045 1

Bio-safe welding protection spray for aluminium, structural steel, nonferrous metals, stainless steels, etc.



MIG WELDING COIL

Art. No. 09820...

Art. No.	Size	Weight
0982008200	D0.8 mm	12.5 kg
0982012200	D1.2 mm	15 kg

- •Welding wire for MIG/MAG welding AWS/ASME SFAS .18 copper plated.
- Suitable for single and multi layer welding of unalloyed steel with tensile strength of up to 560 N/mm2.



MIG WELDING 250A

Art. No. 5997768010090 1

- Professional and well proven machine
- •Time Selection for Spot Welding
- Comes with a High Quality German Made Torch
- User Friendly Control & Design
- •Three Phase Model with 250 AMP Output
- Characterized by ease of operation and unique welding performance.
- Comes with a Tray on Top for accessories
- Auto synchronized Weld Speed
- Utilizes Transformer and inductance technology for optimum performance
- Protected against over loading
- Equipment can weld thinner sheet which is currently being used in the car manufacturing

ACCESSORIES

Article Code	Part Description	Image
5997784400	AY-MIG TORCH 15AK MIG250A	D
5997784401	AY-GAS NOZZLE MIG250A	(D)
5997784403	AY-CONTACT TIP 0.8MM MIG250A	
5997784404	AY-EARTH CABLE MIG250A	Ŏ
5997784405	AY-EARTH CLAMP MIG250A	2




RUST PREVENTION



RUST-STOP QUATTRO 400 ml

Art. No. 08932141



- Corrosion protection.
- Welding primer.
- · Very high temperature resistance up to 300°C, briefly up to 500°C.



ALUMINIUM SPRAY, MATT PERFECT 400 ml

Art. No. 0893114115

- Outstanding long-term protection and optimum metal surface appearance.
- · Aluminium coloured.
- High degree of resistance to
- · High abrasion resistance and spot weldable.



ZINC SPRAY LIGHT PERFECT 400 ml

Art. No. 0893114114

- Outstanding long-term protection and optimum metal surface appearance.
- Zinc Bright colour, Gloss.
- High degree of resistance to running.
- Protection against corrosion 250 hours.



ZINC SPRAY PERFECT 400 ml

Art. No. 0893114113



ZINC SPRAY PERFECT 400 ml

Art. No. 0893113120



SURFACE RUST REMOVER

Art. No. 0890130

PLASTIC REPAIR



PLASTIC ADHESIVE REPLAST 50 ml

Art. No.	Working Life
0893500050	30 sec.
0893500051	90 sec.
0893500052	210 sec.



PLASTIC REPAIR SYSTEM -REPLAST

Art. No. 5964089301

2-component adhesive for repairing plastic parts.

- An adhesive for virtually every type of plastic.
- Can be used for repairs and structural bonding.
- Application area: Cars: Spoilers, radiator grilles, panel clips, bumpers, brackets on headlights and radiators etc. HGVs and buses: Aprons, bumpers, air intake pipes, wheel arches etc. Motorcycles: All panelling.



THERMO TACKER WTG 40

- Repair bumper instead of replacing it.
- · Suitable for practically all types of plastic.
- •The staples to be applied are stainless.
- · Energy-saving.



BODY REPAIR



BODY REPAIR KIT 10 TON - 17 Pcs

Art. No. 071557010

- For heavy bodywork pressing tasks.
- •Weight: 31 kg.



PLASMA CUTTING MACHINE 50S

Art. No. 5952200050

- Advanced IGBT technology provides reliable constant work with enery savings. Precise cutting edges for all thicknesses up to 10 mm.
- Max Current: 50 A

PLASMA CUTTER - ACCESSORIES

Article No.		Description	Quantity	Images
0708001600961 1	1	SP-CUTTING TORCH F.5952001070	1	~
0708001648990 1	1	sp-SHIELD	1	
0708001649990 1	1	sp-NOZZLE	1	
0708001650990 1	1	SP.ELECTRODE	1	
0708001656990 1	1	SP-EARTH CABLE 16MM2	1	0
0708001341990 1	1	SP-GAS HOSE 4M BLUE	1	



BODYWORK FILE HOLDER

Art. No. 071461 73

- Concave and convex settings.
- Aluminium handle.



BODYWORK FILE BLADE

Art. No. 071461 71/72/711/712/713

- Flat.
- Double-sided, radial milled.



PNEUMATIC VARIO DRILL VD 90

Art. No. 0703090

- For fast, convenient removal of spot welds.
- •The 360° rotatable contact bail prevents slipping and ensures easy working, even in hard-toreach places.
- •Low speed 800 rpm.
- High Torque.



PUNCH PLIERS

Art. No. 07150246

- With adjustable limit stop
- Capacity up to 1.5 mm



AUTOMATIC CENTRE PUNCH

- For quick and convenient centre punching
- Automatic, one-handed impact trigger



SEALING



BOND + SEAL 300 ml

Art. No.	Colour
08901001	White
08901002	Grey
08901003	Black

- Permanently elastic silicone sealing compounds for engine and bodywork.
- Excellent adhesion.



BODYWORK ADHESIVE POWERBOND 195 ml

Art. No. 0893450100

- High-strength 2component epoxy resin system for bodywork repairs.
- Glass particle technology.
- Excellent stability.



MIXING TUBE FOR POWER BOND

Art. No. 0891450101



BODY SEALANT – CARGO STRUCTURAL ADHESIVE

Art. No. 5997756954



PAINTABLE BODY SEALANT 1.2 kg

Art. No. 0892010

- Sealing compound for recreating the original brushstroke effect produced at the factory and for sealing of welds, seams, joints and overlaps in motor vehicles.
- Quick drying.
- Can be painted over.



MANUAL APPLICATION GUN PRESSFIX

Art. No. 0891300310

- For bag sealants.
- Light application of force and uniform extrusion of bag sealant.
- Immediate power transmission to the push rod.
- Easy to clean.



MANUAL CARTRIDGE GUN BASIC

Art. No. 0891001



NYLON BRUSH

Art. No. 069330

For applying spreadable sealingcompounds.



PNEUMATIC APPLICATION GUN

Art. No. 0703891310

- Powerful and lightweight pneumatic application gun for applying products in cartridges. Ideally suited for adhesives and sealants with high and low viscosities.
- Rotary pressure controller on handle for slow and fast extrusion.



JET NOZZLE

Art. No. 0891660

- For 300 ml + 310 ml metal cartridges (fine thread).
- For adhesive sealant.
- •With excellent cutting options.
- •Length approx.: 10.5 cm.
- Colour: Grey.



BUTYL SEALING TAPE, VEHICLE

Width(mm)	Length(mm)	Thickness(mm)
12	15	2
20	15	2

- Highly adhesive.
- Double-sided sealing tape made from butyl rubber for overlapping sealing.



ABRASIVES



ARIZONA PERFECT DISC P40 - P600

Art. No. 55063530...



VEHICLE DRY ABRASIVE ROLL

Art. No.	Grid size	W×L
5506247106	P60	115 mm x 15 m
5506247110	P100	115 mm x 50 m
5506247189	P180	115 mm x 50 m
5506247132	P320	115 mm x 50 m



VEHICLE DRY SANDPAPER STRIP

Art. No.	Grid size	WxL
5506128	P40 - P500	70 mm x 125 mm
5506129	P40 - P500	70 mm x 198 mm
5506157	P40 - P500	70 mm x 420 mm
5506132	P40 - P100	115 mm x 230 mm



PURPLE ABRASIVE DISC P80 - P500

Grain	Art. No.
P80	5997651222090 1
P120	5997663544090 1
P180	5997651223090 1
P220	5997663545090 1
P320	5997651224090 1
P400	5997651225090 1
P500	5997651226090 1



DRY SANDING DISC, RED LINE P40 - P500

Art. No.	Grid size
0577363004961 50	P40
0577363006961 50	P60
0577363008961 50	P80
0577363012961 50	P120
0577363018961 50	P180
0577363022961 50	P220
0577363032961 50	P320
0577363040961 50	P400
0577363050961 50	P500



NET PERFECT SANDING DISC P80 - P400

Art. No.	Grid size
5506393008	P80
5506393010	P100
5506393012	P120
5506393015	P150
5506393018	P180
5506393022	P220
5506393024	P240
5506393032	P320
5506393040	P400



NET PERFECT SANDING STRIP

Art. No.	Grid size	WxL
5506197008	P80	70 mm x 420 mm
5506197012	P120	70 mm x 420 mm
5506197018	P180	70 mm x 420 mm
5506197024	P240	70 mm x 420 mm
5506199008	P80	70 mm x 198 mm
5506199012	P120	70 mm x 198 mm
5506199018	P180	70 mm x 198 mm
5506199024	P240	70 mm x 198 mm



ABRASIVES



ABRASIVE PAPER, WET 230 x 280 mm, P60 - P2000

Art. No. 058411...

- Silicon carbide.
- Usable without soaking, very flexible sandpaper.
- · Sharp-contoured working.
- Outstanding finish.






AUTOMOTIVE FINE-SANDING DISC

Art. No. 05878...

- For the removal of dust inclusions, paint runs, orange peeling, fi ne sanding before polishing and matting of paint surfaces.
- Available grits 500, 1,000, 2,000, 3,000, 4,000
- Color on grain side
 50 mm dia.: black, 75 and
 150 mm dia.: dark blue





PROTECTIVE UNDERLAY FOR VELCRO SUPPORT PLATE 150 mm

Art. No. 0586393001






HOOK & LOOP PU FOAM PAD

Art. No. 058601150



Grit	Width x Length	Art. No.
150	115 mm x 25 m	5506 442 115
180	115 mm x 25 m	5506 442 118
220	115 mm x 25 m	5506 442 122
240	115 mm x 25 m	5506 442 124
320	115 mm x 25 m	5506 442 132
400	115 mm x 25 m	5506 442 140
500	115 mm x 25 m	5506 442 150
600	115 mm x 25 m	5506 442 160



VEHICLE SANDING PAD

Art. No.	Grid size
0587001	280
0587002	500

Sanding in hard-to-reach areas such as door handle knobs, bumpers and radiator grilles.



SANDING BELT 9 mm x 330 mm

Art. No.	Grid size	
5997588210	P60	
5997588184	P80	



FILLER/PUTTY/MASKING



LIGHT WEIGTH BODY FILLER VAKU 3 kg

Art. No. 0892603803

- Excellent adhesion capacity
- Easy to sand
- Fine finish



MASKING PAPER

Art. No.	Size	
089918200	45 cm x 200 m	
089936200	90 cm x 200 m	

- Waterproof on one side.
- Lint-free



WURTH

WÜRTH
VAKU POLYESTER PUTTY

POLYESTER PUTTY VAKU 1 kg

Art. No. 0892601801

- Light weight polyester putty formulated for fast work, dries rapidly and is easy to sand
- Excellent adhesion on iron, steel, aluminum, galvanized and hot galvanized surfaces, GFRP and wood
- Dry or Wet sand-able



Art. No. 08926038040

- Excellent adhesion to hare metal, FRP products and wood.
- Easy spreading and mixing
- Very good filling and coverage
- Fast tack free surface
- Easy and soft sanding.
- Excellent feather edging Etc.

MASKING TAPE

Art. No.	Size
0992068012	12 mm x 30 m
0992068024	24 mm x 30 m
0992068048	48 mm x 50 m

- Slightly crepe paper adhesive tape for general masking tasks.
- Excellent adhesion on smooth and painted surfaces
- For masking all smooth surfaces found in the construction and automotive sectors
- Resistant to moisture and solvents.



MASKING PAPER STAND

Art. No. 089958561



DRY GUIDE COAT Grey - 50 g

Art. No. 5867000050



SPATULA SET, 20 pcs

Art. No. 058657801/02



OPS/SANDING BLOCKS



AUTOMASK HDPE PAINTWORK PROTECTION FILM

Art. No. 5997760443

4 X 150 m



HAND SANDING PAD

Art. No. 058703 120

- For cleaning, smoothing and matting surfaces.
- •Grid size: 120.



PLASTIC HAND SANDING BLOCK

Art. No. 0899700321

Robust sanding block with two sandpaper holders and an abrasive pad with soft plastic backing.



HAND SANDING BLOCKS 70 x 125 mm, 13 holes

Art. No. 0586300001



HAND SANDING BLOCKS 70 x 198 mm, 22 holes

Art. No. 0586300002



HAND SANDING BLOCKS 115 x 230 mm, 32 holes

Art. No. 0586300003



HAND GRINDING FILE 70 x 400 mm, 53 holes

Art. No. 0586300004



YELLOW SANDING BLOCK
150 mm

Art. No. 5997663540



FLAT YELLOW SANDING BLOCK 70 x 123 mm

Art. No. 5997663541



VELCRO HAND SANDING BLOCK

Art. No. 058770 120



FLAT YELLOW SANDING BLOCK 70 x 198 mm

Art. No. 5997663542



LONGBED SANDING BLOCK 70 x 400 mm



PAINT



PAINT SPRAY GUN AZ 1 1.3

Art. No. 5997787530

NOZZLE KIT

Art. No. 5997572071



PAINT SPRAY GUN PRO 1 1.4

Art. No. 5997667530

NOZZLE KIT

Art. No. 5997667531

NYLON CUP

Art. No. 0709891525



PAINT SPRAY GUN TOPCOAT DP 21 RP ZEBRA

Art. No. 0891700521

- Newly developed nozzle concept for even higher colour accuracy and uniform paint application.
- Wider, smoother spray for faster work.
- Perfect for applying base and clear lacquers.
- Even better surface quality for flawless paint finish.



PAINT SPRAY GUN AP HVLP ALL-ROUND

Art. No. 089170007

Comes with 1.7 mm Nozzle.

Art. No. 0891700072

Compatible with 1.4 mm Nozzle.

Art. No. 0891700071



PAINT SPRAY GUN AP ALL-ROUND

Art. No. 089170005

Comes with 1.6 mm Nozzle.

Art. No. 0891700052

Compatible with 1.3 mm Nozzle.

Art. No. 0891700051



SWIVEL JOINT

3 1 1 1 L L 3 3 11 11	
Art. No.	Size
06992614	1/4"

For pneumatic tools



GUN HOLDER

Art. No. 089170040

For paint guns.



WUERTH REPLACABLE CUP SYSTEM





PAINT MIXING CUPS & LIDS

Disposable cups for mixing and storing paint materials and stains.

Designation	Size in ml	Size in ml	P. Qty.
Cup	385	0705 800 110	25
Cup	750	0705 800 120	25
Cup	1400	0705 800 130	25
Cup	2300	0705 800 140	25
Lid	385	0705 800 111	25
Lid	750	0705 800 121	25
Lid	1400	0705 800 131	25
Lid	2300	0705 800 141	25



REPLACEABLE CUP SYSTEM LID

Art. No. 0705800161

RCS 0.75 l. lid for Würth paint mixing cup



FILTER SCREEN BLUE 125µ Filter Strainer

Art. No. 0705800152



FILTER SCREEN GREEN 200 µ Filter Strainer

Art. No. 0705800162


ADAPTER FOR WÜRTH REPLACEABLE CUP SYSTEM (RCS)



Art. No. 0891700225









Art. No. 0891700228

PAINT



DUST CLOTH

Art. No.	Size	
0899700001	80 x 50 cm	
0899700005	32 x 100 cm	

- For binding even the finest dust before painting work.
- For universal use.
- Slightly coarser mesh fabric with soft, harmless waterproofing.





FILTER SCREEN

Art. No.	Colour	Mesh size
0899700110	Yellow	190 µm
0899700100	Orange	260 µm

- Disposable screen for filtering lacquers, paints, primers, chemicals and other liquids
- Colour coding system for simple optical detection of mesh size



PAINT



PAINT SPRAY - 400 ml

Art. No. 08930120...

Quick dry acrylic base paint spray with excellent adhesion. Application area:

- Steel construction, etc.
- Vehicles
- Bodywork
- Windows, radiators, etc.

Universal Series	Color No.	Color	Art. No.
	RAL 1018	Zinc yellow	0893 012 018
	RAL 1036	Pearl gold	0893 012 037
	RAL 3020	Traffic red	0893 012 021
	RAL 5005	Signal blue	0893 012 006
	RAL 6020	Chrome green	0893 012 020
	RAL 7038	Agate grey	0893 012 038
	RAL 7039	Quartz grey	0893 012 039
	RAL 7043	Traffic grey B	0893 012 043
	RAL 9006	White aluminium	0893 012 019
	RAL 9007	Grey aluminium	0893 012 007
	RAL 9010	Pure white	0893 012 013
	RAL 9011	Graphite black	0893 012 011
	RAL 9016	Traffic white	0893 012 016
	RAL 9017	Traffic black	0893 012 017
	VARNISH		0893 012 069

Fulorescent series	Color No.	Color	Art. No.
	RAL 1026	Luminous yellow	0893 013 016

High Temperature

Content	Color	Art. No.
300 ml	Matte black	0893 012 027
300 ml	Aluminium	0893 012 026



SPRAYMASTER SPRAY CAN ATTACHMENT

Art. No. 0891090

The practical attachment for spray cans



PAINT BOOTH COATING

Art. No. 0893197005

- Booth surface protector.
- A water based product designed to protect booth walls and equipment from paint overspray.



INFRA RED LAMP

Art. No. 5997785104090 1

- Using special shortwave infrared quartz glass as the heat source which the light-wave offers powerful penetrability
- Automatic time control and real-time time display function
- Automatic computer control and digital display computing function
- Lamps are rotatable in three-dimensional direction, it is convenient to bake paint in different angles and positions



PAINT FINISHING

RUBBING/POLISHING



DIAMOND CUT

Art. No.	Content
0893463001	1 L
0893463020	200 ml
0893463010	100 ml

- 2 in 1 compound specially meant for polishing of all modern paint finishes.
- It removes fine scratches caused by dust particles, run downs & other imperfections in paint finish and polishes the surface at the same time.



PAINT RESTORATION POLISH

Art. No.	Content
0893151101	1 L
0893151102	100 ml

- High-quality product.
- Balanced combination of waxes, polymers and teflon.



NEW PAINT POLISH

Art. No.	Content
0893152001	1 L
0893152002	100 ml

- For all new uni and metallic paints.
- Effortlessly removes car wash scratches, insect residues, tar and other light paint dirt.
- Gives paint back its intensive deep shine.



RF 1000 - NANO CUT

Art. No.	Content
5997655753	1 kg
5997655754	100 ml

- One STEP Rubbing & Finishing Compound suitable for fresh and weathered painted surfaces.
- Suitable for removing roughness from freshly painted surface. Also for removal of sanding marks, oxidation & fine scratch marks quickly, giving a glossy surface.



ULTRA SHINE POLISHING SPONGE

Art. No. 5997704981

- Wuerth Ultra Shine's unique formulation gives instant shine on all Plastic, Vinyl, Rubber and Painted surfaces of the vehicle.
- Suitable for car & bikes too



WAX 'N' SHINE

Art. No. 089310004 045 50





LASER GLAZE (PREMIUM HARD WAX)

Art. No. 0893012523045 24



POLISHING MACHINE EPM 2000-7

Art. No. 5717010010

- Very powerful polishing machine with additional D-handle for more convenient and comfortable operation.
- Non-slip D-handle for comfortable operation.
- Anti-vibrations system on head handle.
- Speed controller allows the polishing on different materials.

BACKUP PAD

Art No. 5817010036



PNEUMATIC MINI POLISHER DMP 25

Art. No. 07032330

Small compressed air polisher for repairing minor paintwork damage



PAINT FINISHING

RUBBING/POLISHING



MICRO ACTIVE CLOTH BLUE - 40 x 40 cm

Art. No. 0899900117



MICROACTIVE CLOTH PRO GLOSS

Art. No. 0899900139



CLEANING CLOTH CLAY SERIES

Art. No. 0585300320



CLEANING PAD CLAY SERIES

Art. No. 0585300150



CLEANING SPONGE CLAY SERIES

Art. No. 0585300110



CLEANING GLOVE CLAY SERIES

Art. No. 0585300210



WOOL GRIP PAD

Art. No. NDI0000196990 1



FOAM PAD - YELLOW

Art. No. NDI0000188990 1



SOFT POLISHING PAD

135 mm

Art. No. 058528



BUFF PAD 195 mm

173 111111

Art. No. 0585195



POLISHING PAD CLEANING BRUSH

Art. No. 058524 1



ADHESIVE



POWER SPRAY GLUE PLUS 400 ml

Art. No. 0890100064

- Contact adhesive with high immediate adhesive strength and high heat resistance.
- Very high heat resistance up to 110°C & Quick-drying.

SEALING TAPE



RAPID REPAIR SEALING TAPE

Art. No. 0985077230 (Black)

Art. No. 0985077231 (Red)

Art. No. 0985077232 (Transparent)

- Highly resistant, self-fusing silicone tape for immediate repairs and sealing tasks.
- For repairing and sealing pipelines and hoses up to 8 bar (in \emptyset 1" pipes).
- For sealing/repairing heating pipes, cooling lines, fittings, water pipes etc.



DOUBLE SIDE MOUNTING TAPE

Art. No.		Size
NDI0000218990	1	12 mm x 4 m

For automotive use



SOUND DEADENING



SOUND DEADENING PAD 24 PCS

Art. No. 5997603040


- •130 x 125 x 2 mm
- Heavy bitumen pads, aluminium coated, self-adhesive.
- Highly adhesive.
- Reinforced against breaking.
- Resistant to water, light acid and alkaline solutions.
- High temperature resistance 30°C to +80°C (1 hour + 180°C).



SOUND ABSORBING LINING 2 PCS

Art. No. 0890100065

- \bullet 1000 x 500 x 11 mm
- For sound absorption, temperature insulation and visual improvement on engine and luggage compartment hoods, doors, etc.
- Polyurethane soft foam mats
- Colour: Foam: grey; top layer: Black
- With an enclosed, highly elastic polyurethane top layer on one side
- Self-adhesive
- Resistant to water, salt water, engine oil, fuels, solvents, etc.
- Impermeable to air and most liquids
- High adhesive strength
- •Temperature resistant -30°C to +80°C (1 hour at +180°C)



SOUND ABSORBING PLATE 6 PCS

Art. No. 0890100060

- •550 x 250 x 2 mm
- Heavy-duty bitumen plate with polypropylene coating, self-adhesive
- High adhesive strength
- · Virtually unbreakable
- Resistant to water, weak acids, alkaline solutions, etc.
- •Temperature resistant -30°C to +80°C (1 hour at +180°C)



SOUND DEADENING PADS - SELF ADHESIVE 4 PCS

- For repair work, sound-proofing and sound deadening of chassis and panel work on automobiles.
- 100 cm x 50 cm
- Protects the interior of the car against noises from vibration and air currents.
- Very good malleability when heated.
- Can be used on rippled and ribbed floor panels
- e.g. bootfloors.
- 1 packaging unit covers 4 panels



WINDSCREEN REPLACEMENT



WINDSCREEN REMOVAL SET 9 PCS

Art. No. 071458230



WINDSCREEN REMOVAL SET

Art. No. 071458 25



BLADE SCRAPPER

Art. No. 071466335



Art. No. 0714663351



Art. No. 071458 27



WINDSCREEN CUTTING CORD 65 m

Art. No. 071458240

- For damage-free removal of vehicle windows with particularly narrow gaps
- Min. tensile force: 1850 N
- Can be used 2-4 times
- If the thread tears, it can be knotted to continue working



SPECIAL STEEL CUTTING WIRE 50 m

Art. No. 071458281



ROUND CUTTING WIRE 22.5 m



WINDSCREEN REPLACEMENT



WINDSCREEN TROPICS 310 ml

Art. No. 089002611

Art. No. 0988238105990 1 (With Primer and Brush)



PRIMER BRUSH
Art. No. 0891650

PRIMER 15 ml

Art. No. 089002810



TROPICS ACTIVE WINDSCREEN ADHESIVE 310 ml

Art No. 5997704989090 1

Art No. 0988019629990 1

(With Primer and Brush)



PRIMERLESS WINDSCREEN ADHESIVE 600 ml

Art. No. 5997705020

- An elastic, single component, primeless polyurethane based windscreen adhesive with good stability
- Excellent softness after curing, easy to cut, convenient for replacement.
- Excellent bonding performance, primeless.



PRIMERLESS WINDSCREEN ADHESIVE 310 ml

Art. No. 0890026260

- It's a one-component moisture curable polyurethane sealant, with high bonding strength for windshield and side& back window glass replacement.
- Solvent free adhesive, No corrosion and pollution to substrates, environment friendly.
- No bubbles during application, smooth and fine appearance etc.



MANUAL CAULKING GUN FOR SAUSAGE PACKS 14:1

Art. No. 0891400610

- Robust sausage pack applicator gun can be converted for cartridges of different sizes and thicknesses
- Transmission ratio 14:1
- Immediate power transmission to the push rod possible
- Easy to clean



PNEUMATIC APPLICATION GUN DRUCKFIX

- Powerful and lightweight pneumatic application gun for applying products in bag goods.
- Ideally suited for adhesives and sealants with high and low viscosities.



FASTENERS

O-RINGS



O-RING MOUNTING KIT 8 PCS

Art. No. 5964046806

Contents:

- Instant Adhesive Super-fast Glue
- 1C cutter knife with slider
- O-ring cords in Diameter 5.7,3,2.4,1.6 (mm)
- O-ring Cutting Jig



O-RING METRIC KIT 1050 PCS

Art. No. 5964046800

- Number of pieces in assortment/set:1050 PCS
- Diameter: 3 24 mm
- Material: NBR (Nitrile Butadiene Rubber)
- Colour: Black



O-RING METRIC KIT 330 PCS

Art. No. 5964046802

- Number of pieces in assortment/set:1050 PCS
- Diameter: 25 42 mm
- Material: NBR (Nitrile Butadiene Rubber)
- Colour: Black



O-RING INCH KIT 1050 PCS

- Number of pieces in assortment/set:1050 PCS
- Diameter: 2.9 23.4 mm
- Material: NBR (Nitrile Butadiene Rubber)
- Colour: Black



FASTENERS



PLAIN WASHER

Art. No. 041616...

- Material: Steel.
- Surface: Galvanised.
- Blue passivated.
- •DIN 9021.



SERRATED WASHER EXTERNAL TOOTH

Art. No. 042320...

- Material: Steel.
- Surface: Galvanised.
- Blue passivated.



FLAT WASHER WITH CHAMFER

Art. No. 007906 16...

- Material: Steel.
- Surface: Hot-dipped.
- •Thread type: M.
- •EN 14399/6.



SPRING LOCK WASHER FORM B

Art. No. 0434...

- Material: Spring Steel.
- Surface: Glavanised.
- •Thread type: M.
- •DIN 137.



HEXAGON NUTS

Art. No. 00790516...

- For high-strength pre-loaded structural screw connections for metalworking.
- High-strength assemblies in accordance with DIN EN 14399-4.



CAP NUT,

Art. No. 0350...

- Material: Brass.
- Surface: Plain.
- •Thread type: M.



WING NUT, GERMAN FORM

Art. No. 0342...

- Material: Steel.
- Surface: Plain.
- ullet Head type: M.



NYLOCK NUT

Art. No. 036810

Nuts with reduced loadability.

- Material: Steel.
- Screwing-property class: 8.
- Surface: Galvanised.
- Design: Polyamide clamping piece.



CAP NUT, LOW PROFILE

Art. No. 03490...

- Material: Stainless steel A4.
- Surface: Plain.
- •Thread type: M.



LOCKING NUT

Art. No. 0316...

- Material: Steel.
- Surface: Yellow galvanised.
- •Thread type: M.
- DIN 7967.



FIRE BRIGADE SNAP HOOK

Art. No. 052410010...

- Material: Steel.
- Surface: Galvanised.
- •DIN 5299.



SHACKLE DIN

Art. No. 052310...

- Galvanised steel, blue passivated (A2K), drop-forged and deburred.
- Connection element.
- For crane loading gear.
- For towing vehicles.
- For extending cables and chains.
- For use in transporting heavy and bulky goods.



CLAMPING SLEEVE

Art. No. 0475..

- Material: Spring Steel.
- Surface: Plain.
- •DIN 1481.
- •ISO 8752.



SPLIT PIN

Art. No. 04704...

- Material: Steel.
- Surface: Galvanised.
- •DIN 94.



- Material: Steel.
- Surface: Plain.ISO 8748.



MATERIAL PROCESSING



CUTTING WHEEL (4"/5"/7" & 14")

Art. No. 06699909... Art. No. 0670935528 (14")

- Synthetic resin bonded, Fibre-reinforced high performance cutting wheel.
- Extremely low breakage susceptibility.
- Max. circumferential speed 80 m/s.
- •EN 12413 standard.
- Applications: Cutting solid materials, thick-walled pipes, profiles, channels etc.





SMALL MINI FIBRE DISCS

Art. No. 0580007536...

- · Zirconium corundum, with quickchange mounting.
- Rugged polyester cloth.
- · High tear resistance.





SANDING DISC

Art. No. 0673205018...

- Material: Aluminium Oxide.
- Max rotation speed: 23000 rpm.
- Grain size: Medium 180.



GRINDING WHEEL (4"/5"/7")

Art. No. 06699951...

- Synthetic-resin bonded, fiber-reinforced high-performance grinding wheels.
- · Especially long service life combined with high removal rates.
- Max. circumferential speed 80 m/s.
- Applications: Grinding edges, weld seams and surfaces.



DRY SANDPAPER DISC KP PERFECT

Art. No.	Grid
058355040	P40
058355060	P60
058355080	P80

For pre-sanding untreated softwood and hardwood, MDF, OSB (oriented strand board), veneered panels and plywood.



CONICAL BRUSH, **RUST FREE WIRE**

Art. No. 0714692411

- For angle grinders.
- Machining stainless steel.



CONICAL BRUSH

Art. No. 0714691411

- For angle grinders.
- · Special shape brushes, can be used to machine hard-to-reach places.
- Material: Steel
- Hardened steel wire, braided counter clockwise.



SANDING BELT, FOAM MATERIAL

Art. No. 067298960

- Material: Zirconium corundum.
- Grain size: 60



FLAP DISC

- Zirconium corundum.
- Sturdy plastic plate with quick-change mounting.
- Rugged, flexible cotton fabric with high tear resistance.
- Versatile, broad range of applications.





HIGH PRESSURE JET CLEANER HP 190

Art. No. 5997623021090 1

- High pressure powerful cleaning system for automotive, construction, industries etc.
- Heavy duty pump powered by 3 phase.
- Large wheel size for easy mobility.
- •Operating pressure of 30 to 190 bar.



HIGH PRESSURE JET CLEANER HP 215

Art. No. 5997623022090 1

- High pressure powerful cleaning system for automotive, construction, industries etc.
- Heavy duty pump powered by 3 phase.
- Large wheel size for easy mobility.
- Operating pressure of 30 to 215 bar.



VACUUM CLEANER – 78 L, WET & DRY

Art. No. 0702400803

- Heavy duty vacuum cleaner system for wet and dry application
- Ideal for any type of floors or carpeted surface to remove dry dusts and wet spills
- \bullet Heavy Duty 1300 x 2 (2600) Watt motor for toughest application
- Hotels, Hospitals, Catering service providers, Marriage Halls, Warehouses



VACUUM CLEANER

- 32 L

Art. No. 5997623023090 1

- Heavy duty vacuum cleaner system for wet and dry application
- Ideal for any type of floors or carpeted surface to remove dry dusts and wet spills
- Sturdy high grade stainless steel body
- Single motor
- Hotels, Hospitals, Malls, Supermarkets



SPRAY SUCTION DEVICE SEG 10-2

- Powerful spray extraction device for cleaning upholstery and for removing stains from carpeted surfaces.
- Ideal for cleaning upholstery and car interiors.
- Continuous checking procedure and back suction performance.





DUST EXTRACTION SYSTEM

Art. No. 0988995246990 1

For dust extraction with sanding systems in automotive bodyshop, metal work, wood industries etc.

- Power connection directly on dust extraction machine for power tools.
- Automatic on/off of dust extractor.
- •Three equipments (Two Pneumatic and One Power Tool) can be used simultaneously.
- Automatic filter cleaning system.



Accessories/indiend sopplied diong with indclines.		
Product Description	Qty.	
NPL-PN-BRS-IT-G1/4IN	1	
NPL-PN-BRS-ET-G1/4IN	1	
AY-FLEXHOSE-VC-D32/40MM-L3,5M	2	
DUST EXTRACTION -TWIN MOTOR-78 LTR2400W	1	
ranorbsndr-pn-disc-unc-centvac-d150mm	2	
DUST COLLECTION BAGS	1	
	Product Description NPLPN-BRS-IT-G1/4IN NPLPN-BRS-ET-G1/4IN AY-FLEXHOSE-VC-D32/40MM-L3,5M DUST EXTRACTION -TWIN MOTOR-78 LTR2400W RANORBSNDR-PN-DISC-UNC-CENTVAC-D150MM	







MINI DUST EXTRACTION SYSTEM

Art. No. 0988995245990 1

Easy to use Mini- Dust Extraction Machine for sanding systems in automotive body shop, metal work, construction and wood industries etc

Art. No.	Description	lmage
5997606338090 1	Dust Ext Sing Mot 1200W Tele con Dry App	
0703999010961 1	Oribtal Sander Central Vacuum	*
0699100512961 3	NPLPN-S2000-IT-G1/2IN	
0699999010961 4	NPL-NIPL-{CR}-ST-1/4IN-L39MM	



TORQUE MULTIPLIER SET

Art. No. 5997609352

An innovative, easy-to-use tool that allows for breaking loose even the most stubborn wheel lug nuts and bolts. Ideally suitable for trucks, busses, construction and agricultural machines etc.





GREASE PUMP 25 kg

Art. No. 5997681661 090 1

- The anti airlock pressure plates ensure easy flow of grease.
- Required air pressure: 6 to 8 bar
- Pump ratio: 50: 1



GREASE PUMP 50 kg

Art. No. 5997681662 090 1

- The anti airlock pressure plates ensure easy flow of grease.
- Required air pressure: 6 to 8 bar
- Pump ratio: 50: 1



WITH PRESET METER

Art. No. 5997791422090 1

- Pneumatic pump oil dispensing kit with preset meter and trolley
- Operating Pressure: 3-8 Bar • Max. Fluid Pressure: 24 Bar
- Max. Continuous duty flow rate:
- 14-18L/Min
- Suction Tube Diameter: 34mm
- Connection Air Inlet: Quick Connector.
- Connection Oil Outlet: 1/2" BSP
- Mobile unit for 180L to 200L drum.
- Standard model composed of 3:1 Oil pump, trolley, Preset Oil gun, 4 m connection hose



AIR DRYER - WAD 20

Art. No. 5997675190090 1





AIR DRYER - WAD 40

Art. No. 5997557823090 1

- 40 CFM is suitable for 3HP, 5HP & Paint Booth Application.
- Filled in ECO Friendly refrigerant
- Excellent performance
- More sturdy and easy maintenance
- Energy saving



TYRE INFLATOR - WALL MOUNT

- Tyre Inflator for two wheelers, Cars & LCV.
- Wall mouted sleek design.
- Fast and accurate inflation upto 175 psi.
- Sound Indication upon completion of Tyre Inflator.





ENGINE CRANE 3 TON

Art. No. 5997673953 090 1

- For light commercial vehicles
- Max. Capacity: 3000 kg
- •Weight: 125 kg
- Heavy steel construction for maximum durability.



UNIVERSAL GEAR BOX TROLLEY JACK

Art. No. 59976739510

- Universal Trolley for lifting ATS gearbox with retarder & crown for Commercial vehicle
- Capacity: 1 Ton • Weight: 140 kg
- Also suitable: BS-IV & BS-VI Engines



AIR COMPRESSOR

Alik Goldin Kligger		
Art. No.	Motor Capacity	
5997628355	3 HP	
5997628356	5 HP	
5997628357	7.5 HP	
5997628358	10 HP	
5997634070	15 HP	

- Wuerth Air Compressor range covers all categories from 3 HP to 15 HP.
- •Two stage reciprocating air compressor
- Air cool
- Low noise
- •Low power consumption
- Automatic Start/Stop

HYDRO PNEUMATIC JACK 25T / 50T

Art. No. 5997673950090 1

- Hard chrome plated both internal & external cylinder
- Safety overload valve
- Self-return switch for safe working
- XTP industry sealing (double sealing function)
- •Oil anti-back system
- Net weight: 67 kg
- Capacity: 50 Ton / 25 Ton





TOOL TROLLEY AND TOOL CASE



TOOL CASE PROFESSIONAL

Art. No. 071593 22/23/24

- •Type: 3/5/5 pcs.
- Highly robust and torsion-resistant.
- Length x width x height: $430 \times 200 \times 150$ mm.
- · Folding, with sturdy riveted hinges.
- Folding tubular carry handle.
- Cover with continuous strap hinge.
- Can be locked by a padlock.



TOOL CASE STANDARD

Art. No. 071593 20 090 1

- Type: 5 pcs.
- Simple, solid design.
- Length x width x height: 430 x 200 x 200 mm
- · Collapsible, with robust rivet hinges.
- Foldable hollow carrying handle.
- Can be locked with a padlock.



TOOL BOX PROFESSIONAL

Art. No. 5997758959090 1

- Particularly robust, torsion-resistant tool box, can be folded open, has sturdy riveted hinges
- Cover with continuous strap hinge
- Folding tubular carry handle
- Can be locked by a padlock



TOOL TROLLEY - 3 SHELVES

Art. No. 5997758950090 1

- Robust sheet-steel construction
- Two-way height adjustable shelves (middle)
- PP wheels, steering wheels with 3 inch diameter (two with locking brake), running wheels with 3 inch diameter



TOOL TROLLEY BASIC 7 DRAWER

Art. No. 5997784350090 1

- (W x D x H) 780 X 465 X 735mm
- Total load 300 kg
- Static loading capacity 30 kg per drawer
- Equipped with 5 inch PP wheel
- Not affected by humidity environment
- Strong corrosion resistance
- 2 brake wheels
- With cylinder lock
- Top Stainless Steel with cylinder lock
- Steel sheet body, drawer thickness 0.8 mm.





SAFETY GOGGLE, POLYCARBONATE

Art. No. 0899102230

- Unrestricted peripheral perception through panoramic lens with 180° field of view.
- Polycarbonate lens with matt roof section to suppress reflections.
- 100% UV protection (up to 400 nm).





SAFETY GOGGLE, CEPHEUS

Art. No. 0899102250

- Lightweight safety goggles with duospherical lens.
- Sporty flexible arms for pressure-free fit.
- Unrestricted side perception.
- Highly impact-resistant polycarbonate lens.
- 100% UV protection (up to 400 nm).





SAFETY GOGGLE, FULL-VISION

Art. No. 0899102110

- All-round ventilation system.
- Frosted frame suppresses light reflections.
- Suitable for combining with half face masks.
- Acetate lens resistant to chemicals.
- Anti-fogging coating.
- Easy-change lens and 100% UV protection.
- Adjustable head strap.



Art. No. 0899200230 - With Strap

Art. No. 0899200231 - With Ratchet

- Durable HDPE shell.
- 6 point pin lock suspension for secure fitting.
- Colours: Yellow & White.

Application area:

 Construction, Metal Industry, Automotive, Cargo, Hospitality, Facility services.



SAFETY EYE WEAR

Art. No. 0899103120/121/122

- First class Polycarbonate lens.
- Sporty & dynamic design.
- Nylon frame with optional color lenses.
- Excellent anti-scratch & impact resistance.
- UV Protection upto 99%.
- For construction, grinding, milling, etc.





AUTOMATIC WELDING HELMET SOLAR II 9-13

Art. No. 0984700400

- Ideal for all applications using a variety of welding processes
- 2 modes of protection available, automatic and manual adjustment
- Protects against weld spatter and heat and protects during overhead welding
- Min./max. dark-to-light switching time: 0.25-0.25 ms



PROTECTIVE GLOVE, MECHANIC

Art. No. 0899400529

- Universal glove with good functional resistance and excellent dry and wet grip via special surface texturing.
- Outstanding flexibility for fine installation work.
- Skin-friendly, seamless knitted nylon lining.
- High-quality natural latex coating with open backs of hands for good breath ability.



PROTECTIVE GLOVE, COTTON KNITTED 40 g - Grey

Art. No. 089940407

- •7 gauge grey poly/cotton recycled yarn knitted gloves.
- 100% white polyester over locking.
- Good wearing comfort & fit. Applications:

Basic working glove for light warehouse work, transportation, glass/ceramic industry (Handing large panes or dry metal).



DISPOSABLE VINYL GLOVE 100 pcs box

Art. No. 089946002

- Powder-free, Liquid-sealed disposable vinyl glove.
- Practical disposable dispenser.
- Can be worn on both sides.
- Tested as food-safe.
- Material thickness: 0.12 mm ± 0.03 mm.



DISPOSABLE NITRILE GLOVE 100 pcs box

Art. No. 089947001

- Liquid-proof, food-safe disposable glove.
 Applications:
- Laboratory work.
- Food processing industry.
- Catering.
- Pharmaceutical and chemical industry, electrical engineering.
- Decorating, spray-painting and
- Cleaning and maintenance work.
- Workshop jobs.



HOUSEHOLD LATEX GLOVE





BREATHING MASK, FFP 1

Art. No. 0899110430

- Excellent fit on the face.
- Secure seal in the nose area.
- Comfortable to wear.
- Excellent filter performance.
- Tear-resistant head straps.
- Without exhalation valve.
- •CE 0, 194.



HALF FACE MASK HM 175

Art. No. 0899175000

- Custom-fit breathing protection for maximum comfort
- Easy use of various filters
- Chemical and paint processing industry, waste disposal and decontamination companies, wood processing as well as floor installers, plastics processing industry, automotive and other workshops (with the appropriate filters in each case).



BREATHING MASK WITH VALVE

Art. No. 0899110501

- Complete protection and comfortable to wear.
- Exhalation valve ensures the user feels comfortable wearing the mask.
- · Minimal breathing resistance.
- Perfect, sealed fit.
- Preformed design.
- Nose clip for optimised fitting.
- Half sealing lip in the nose area.
- · Looped-through cotton head strap.



PAINTER'S SET - 3 pcs

Art. No. 0899175020

- 1 x half mask facepiece HM 175.
- 2 x Combination filter A2P3 RD
- Ready-for-use breathing protection set for painting and decorating work.



COMBINATION FILTER A2P3 RD

- For breathing protection series 175
- Filter class: A2-P3 RD
- Range of applications: Spray painting, Application of solvents





SAFETY SHOE S1, Single Density

Art. No. 5357943/38-46

- Single density
- Buffalo black leather Upper NON DIN (Non-Waterproof) synthetic non-woven vamp lining.
- Full mesh black lining.
- Anti-Impact, Anti-static, Oil resistant, Shock absorbent.



• Overshoes for hygiene and dirt protection in chemical industry, pharmaceutics, cosmetic manufacturing, food processing.

SAFETY SHOE S1, Double Density

• Buffalo black leather Upper NON DIN (Non-

Waterproof) synthetic non-woven vamp lining.

• Anti-Impact, Anti-static, Oil resistant, Shock absorbent.

Art. No. 5357121/38-45

• Double density

- Material thickness: 20 μ.
- Material: Polyethylene.
- Universal size: Length 40 cm.



REUSABLE PAINTING SUIT

- With hood and drawstring.
- Silicone-free & 100% polyester.
- Anti-static and lint-free.
- Elasticated sleeves, ankles and waist.
- Two-way covered zip.
- Washable up to 40°C or dry cleaning.



WHAT IS ORSY®?

ORder with a SYstem is a flexible logistic solution that is ideal for goods with a irregular need.

ORSY will enable you to reduce costs optimize your inventory and realize your goal of higher efficiency giving you a overview of your inventory your purchase and point of consumption.







ORSY



The parts classification pyramid reflects the necessity Total purchase - 80% for an effective system to manage the "little things". C-Parts incurs high process and procurement costs, due to the unmanageable product range variety Total purchase - 20% in huge quantities. ORSY (ORdering System) is Wuerth's creative solution to support C-Part and maintenance product management system. It suits all types of products for OEM/MRO and enables easy identification of products due to the

modular system. It is an efficient and perfectly organized system which enables quick access to items that are frequently required, and helps to keep track of stock flow and usage. The time thus saved is a premium, which in tandem enables cost saving as well, in acquisition of new goods. The ORSY process cycle involves an audit of the customer site and implementation of the system by dedicated support personnel.

Advantages of C-Part Management

- Reduction of inventory
- · High availability
- Consistent high quality
- Product standardization
- Engineering services
- ·No stock taking or in-house transportation
- Better utilization of manufacturing space
- · Limited obsolescence
- Reduction of suppliers
- Total cost reduction

ORSY – Full Service Evolution



Planning



Assembly, labelling & repacking



Servicing, maintenance & repair





Disposition & updating







OPSOLUTIONS



CARGO EXPERTS

Wuerth India Pvt. Ltd.

Central Support Centre:

Mumbai: No 703/704, WINDFALL, Sahar Plaza Complex, Andheri - Kurla Road, J B Nagar, Andheri (East), Mumbai - 400059

Regional Support Centre:

Delhi: No. 349, Patparganj Industrial Estate Delhi - 110092

www.wuerth.in info.wuerth@wuerth.in Toll Free: 1800 102 5061

Follow us on fin (a)



Wuerth India eSHOP Register Now @ www.wuerth.in

Regional Support Centre:

Chennai: No. 156, Doshi Towers, 6A & 6B, Poonamallee High Road, Kilpauk, Chennai - 600010

Regional Support Centre:

Kolkata: Plot No. 1812, PS Srijan Corporate Park, GP Block, Sector V, Bidhannagar, Kolkata, West Bengal - 700091



Art. No. 5997817365090 1

MAY 2025

